To Index

CONTRACT HARDWARE

WAREHOUSE STOCK GUIDE



tellmfg.com
800.433.4047
tell.sales@assaabloy.com

VERSION 1.7

SPARTAN
HOLLOW METAL DOORS & FRAMES

VIKING
HOLLOW METAL DOORS, FIRE RATED

TIOGA
DOORS & FRAMES
METAL BUILDING APPLICATIONS

TELSTAR
PRE-HUNG METAL DOORS
MODULAR BUILDING APPLICATIONS

Tell Contact Information

Brian Shuck
Vice President, Contract Hardware Sales
c: 972-880-1161
e: Brian.Shuck@assaabloy.com

Jon Bethards
National Account Manager
c: 715-456-9477
e: Jonathan.Bethards@assaabloy.com

Corporate Office
18 Richard Drive
Lititz, PA 17543
800-433-4047

▲ To Index

TELL TERRITORY SALES REPRESENTATIVES

D.C. | DE | E. PA | E. WV | MD | VA

Systems Access Solutions
Fran Footen
c: 304-279-1622
e: fxfooten@aol.com

CT | MA | ME | NH | N. NJ | NYC | RI | VT

Mullen Sales, Inc.
Rick Mullen
c: 860-729-3734
rick@mullensales.com

Geoff Mullen
c: 860-305-5400
geoff@mullensales.com

E. TN | NC | SC | SAVANNAH, GA

Youngblood Associates, Inc.
David Youngblood
p: 704-847-5000
e: david@youngbloodassoc.com

AL | FL | GA

RHI Associates
Rick Hubbard
Toll Free: 800-310-2794
p: 877-833-8811
p: 407-833-8811
e: rick@rhi-asc.com

OK | TX

Murray Architectural Group - "MAG"
Jay Murray
p: 832-499-6661
c: 405-246-6244
e: Jay@MurrayArch.com

IL | IN | MI

Jim Hering
p: 419-467-3747
e: jmhering1@gmail.com

MN | ND | SD | WI

Jon Bethards
715-456-9477
Jonathan.Bethards@assaabloy.com

AK | MT | OR | WA | W. ID

Ken Perezi
c: 425-295-4100
e: 1archsales@gmail.com

AZ | CA | NV

Architectural Door Consultants, LLC
Gary J Deter, AHC
c: 714-851-0303
e: gary.deter@gmail.com

KY | OH | WPA | WV

G.N. Kern Associates
George Kern
p: 602-677-7152
e: george@gnkernassociates.com

TELL OPEN TERRITORIES

ARKANSAS | COLORADO | IOWA | KANSAS | LOUISIANA | MEMPHIS, TN | MISSISSIPPI | MISSOURI | NEBRASKA | NEW MEXICO | UTAH | WYOMING

Jon Bethards
715-456-9477
Jonathan.Bethards@assaabloy.com

Scan for current contact information

Table Of Contents

LOOK FOR OUR ELECTRIFIED PRODUCTS

US19 NEW MATTE BLACK US 19 FINISH NOW AVAILABLE

ITEM	PAGE LINK	PAGE
Mortise	▶	8
Levers, Grade 1 and 2	▶	9
Ball Knob	▶	11
Deadbolts	▶	12
Controlled Access Locks	▶	13
Exit Devices and Trim	▶	14
Door Closers	▶	18
Hinges	▶	20
ABH Continuous Hinges	▶	21
Miscellaneous Hardware	▶	22
Spartan Hollow Metal Doors and Frames	▶	25
Viking Hollow Metal Doors and Frames	▶	43
Tioga Door & Frame	▶	48
Telstar Door & Frame	▶	50
Telstar CD (Shipping Container Door)	▶	52
Air Louvers Lites & Louvers	▶	54
Reese Thresholds and Weather Stripping	▶	59
Solid Core Wood Doors	▶	62
Timely Frames	▶	62

CUSTOMER SERVICE

Toll Free: 1-800-433-4047
Fax: 1-888-370-3253

Lititz, PA (PA)
18 Richard Drive
Lititz, PA 17543

Dallas, TX (DAL)
1018 Avenue M
Grand Prairie, TX 75050

Houston, TX (HTX)
6535 Guhn Road
Houston, TX 77040

Elkhart, IN (ELK)
2936 Lillian Street
Elkhart, IN 46514

Birmingham, AL (BHM)
202 Distribution Drive
Homewood, AL 35209

Ontario, CA (LAC)
5678 Concours St., Dock #11
Ontario, CA 91764

Burnsville, MN (MIN)
1544 Cliff Road East
Burnsville, MN, 55337

Orlando, FL (FLA)
410 Santa Rosa Ct.
Unit 1020
Oviedo, FL 32765

Purchase orders for all items shipped from any Tell Warehouse should be made out to Tell Mfg.

Tell Warehouse Stock Guide


For pricing and order terms, contact Door & Frame Solutions.

sales@dfstx.com

214-628-5025 | 214-628-5028

2627 Brenner Dr, Dallas, TX 75220

Mon-Thu: 7:30 AM to 4:30 PM | Fri: 7:30 AM to 4:00 PM




Open directions

© OpenStreetMap contributors

To Index

Introducing the **MATTE BLACK** COLLECTION



PRODUCT	ITEM	DESCRIPTION
LC2400 HD LEVER	CL102910	LC2481CTL US19 234 A SCC BP
LC2400 HD LEVER	CL102911	LC2475CTL US19 234 A BP
LC2400 HD LEVER	CL102912	LC2476CTL US19 234 A BP
LC2400 HD LEVER	CL102913	LC2486CTL US19 234 A SCC BP
LC2400 HD LEVER	CL102900	LC2486CTL US19 234 T SCC BP
LC2400 HD LEVER	CL102899	LC2476CTL US19 234 T BP
LC2400 HD LEVER	CL102898	LC2475CTL US19 234 T BP
LC2400 HD LEVER	CL102897	LC2481CTL US19 234 T SCC BP
LC2600 HD LEVER	CL103920	LC2681CTL US19 234 T SCC BP
LC2600 HD LEVER	CL103922	LC2675CTL US19 234 T BP
LC2600 HD LEVER	CL103924	LC2676CTL US19 234 T BP
LC2600 HD LEVER	CL103926	LC2686CTL US19 234 T SCC BP
LT2000 LD LEVER	CL103952	LT2076 PRIVACY LEVER US19
DEADBOLT	CL102901	DB2051 US19 ADJ CS
LATCH	CL102909	234 GRD US19 CS LC2400
LATCH	CL103945	234 UNGRD US19 LC2400
LATCH	CL103946	238 GUARDED US19 LC2400
LATCH	CL103947	238 UNGRD US19 LC2400
STRIKE ASA	CL102914	CL STRIKE ASA US19
STRIKE T	CL102908	CL STRIKE T US19
8300 EXIT DEVICE	EX100476	8300B US19 416 EXIT
F 8300 EXIT DEVICE	EX100493	F8300B US19 416 EXIT, FIRE RATED
EXIT DEVICE TRIM	EX100477	CTL881 US19 ENTRY LEVER TRIM
EXIT DEVICE TRIM	EX100492	ESC881C ESCUTCHEON LEVER US19
DC600 DOOR CLOSER	DC100451	19641 PA US19
DC800 DOOR CLOSER	DC100452	19816 BC SN1 COV PA US19
HINGE	HG100330	H4545 BB US19 3 PACK
HINGE	HG100334	H4545 BB NRP US19 HINGE 3 PACK
HINGE	HG100335	H4545 SP US19 HINGE 1 PACK
KICK PLATE	DT101945	KICK PLATE 6 X 30 US19
KICK PLATE	DT101951	KICK PLATE 8 X 34 US19
PULL PLATE	DT101943	PULL PLATE 3.5 X 15 US19 CS
PUSH PLATE	DT101944	PUSH PLATE 3.5 X 15 US19 CS
FLOOR STOP	DT101946	DOME STOP HIGH PROFILE US19 #1
WALL BUMPER	DT101947	WALL BUMPER CONCAVE US19 #140

Also Introducing the

LE2000 CORTLAND LEVER | **KE2000** EMPIRE KNOB

ELECTRONIC KEYPAD LOCKS

featuring SC1 KEYWAY SMARTKEY SECURITY

Makes it Easy to Re-key to Your Existing **SC1 Keys!**

- Allows up to 100,000 key combinations
- Optional one-key convenience for ALL locks with the SC1 keyway



Order by product ID number.



Door Hardware

KEYING

0 Bitted with (2) blank keys . . . . . .
Keyed alike (KA) KY100001 . . . . . .
Master keyed (MK) KY100002 . . . . . .
Construction keying, lost ball method (CMK). . . . . .
Grand master keying (GMK) KY100004 . . . . . .
Extra cut keys . . . . . .

NOTES

- Locks furnished keyed different (KD) unless specified.
- Locks with keyed functions furnished with Schlage "C" (SCC) keyway standard.
- Other keyways net additional charge: Arrow AR1, Corbin 60/L4, Falcon/Weiser, Kwikset, Russwin D1, Sargent LA/RA, Yale 8.
- Locks furnished with T strikes on keyed functions. Substitute ASA or F strikes at no additional charge.
- Locks furnished with 2-3/4" latchbolt on keyed functions. Substitute 2-3/8" at no additional charge.
- Locks furnished with 2-3/8" latchbolt on non-keyed functions. Substitute 2-3/4" at no additional charge.
- Other finishes available, consult factory.

Special order keyways available, allow 4-6 weeks for delivery!



	BEST COMPATIBLE KEYWAY		TELL KEYWAY	
	6 pin	7 pin	6 pin	7 pin
Uncombinated cores (no springs & pins)	CL100268	CL100270		
Combinated cores includes master keying				
Construction cores				

To Index





ML1300 Series - Cortland HEAVY DUTY

ITEM #	PART	FUNCTION	FINISH	BACKSET	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL100977	ML138104	ENTRANCE F04	US32D	2 3/4"	4		·							·
CL102102	ML138607	STOREROOM F07	US32D	2 3/4"	4		·							·
CL102258	ML138113	DORMITORY F13	US32D	2 3/4"	4		·							
CL102534	ML132534	PRIVACY	US32D	2 3/4"	4		·							
CL102533	ML137501	PASSAGE	US32D	2 3/4"	4		·							
CL103982	ML138405ES	CLASSROOM	US32D	2 3/4"	4		·							

Equal To: Cal-Royal NM series, ACCENTRA 8800 series, Hager 3800 series

FEATURES

Performance
- Grade 1 heavy duty
- 1,000,000 cycles

Compliance
- American Disabilities Act (ADA) ANSI A117.1
- Complies with ANSI A156.13, Series 100

Chassis
- Mortise
- Steel – coated with zinc dichromate (corrosion resistance)
- 13 gauge cold rolled steel

Trim
- Escutcheon Lever
- Non-handed, field reversible
- Solid forged brass

Latch
- 2 ¾" Backset
- Latch ¾" throw
- Deadbolt 1" stainless steel throw
- Anti-friction

Strike
- 4 7/8" curved strike
- Optional straight lip (stainless steel)

Cylinder
- Schlage (SCC) - C keyway
- 6-pin solid brass
- Keyed different (KD)

Finishes
- US32D – Satin stainless steel

Keys
- Two nickel silver per lock cylinder

Door Preparation
- Per function and template

Warranty
- Lifetime limited

Functions
- Entrance ML138104
- Passage ML137501
- Privacy ML132534
- Storeroom ML138607
- Dormitory ML138113



Curved Strike



- Clutch
- 3 1/2" Rose
- 1 3/8" to 2" Door
- ASA Strike
- Schlage C Keyway

LC1200 Series - Cortland HEAVY DUTY

ITEM #	PART	FUNCTION	FINISH	BACKSET	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL100249	LC1281 CTL	ENTRANCE	US26D	2 3/4"	6		·	·	·	·	·	·	·	·
CL100397	LC1275 CTL	PASSAGE	US26D	2 3/4"	6		·	·	·		·	·	·	·
CL100255	LC1276 CTL	PRIVACY	US26D	2 3/4"	6		·	·	·		·	·	·	·
CL100398	LC1286 CTL	STOREROOM	US26D	2 3/4"	6		·	·	·		·	·	·	·
CL100572	LC1291 CTL	COMMUNICATING	US26D	2 3/4"	6		·	·						
CL100396	LC1284 CTL	CLASSROOM	US26D	2 3/4"	6		·	·	·			·	·	·
CL102259	LC12110 CTL	CLASSROOM INTRUDER	US26D	2 3/4"	6		·					·		
CL101078	LC1201 CTL	SINGLE DUMMY	US26D	2 3/4"	6		·	·	·		·	·	·	
CL100355	LC1281 CTL IC	ENTRANCE (I.C.)	US26D	2 3/4"	6		·	·	·		·		·	·
CL100664	LC1286 CTL IC	STOREROOM (I.C.)	US26D	2 3/4"	6		·		·		·		·	·
CL102265	LC12110 CTL IC	INTRUDER (I.C.)	US26D	2 3/4"	6		·					·		
CL100549	LC1284 CTL IC	CLASSROOM (I.C.)	US26D	2 3/4"	6		·		·		·		·	·

Equal To: Cal-Royal Genesys series, Yale 5400 series, Hager 3400 series, Sargent 10 Line, Falcon T series

LC1200 Series Electrified - Cortland HEAVY DUTY

ITEM #	PART	FUNCTION	FINISH	BACKSET	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL102889	LC1286 ELEC CTL	Electrified Cylindrical Lockset, 12-24v AC/DC, Selectable Fail safe/Fail secure	US26D	2 3/4"	6		·							
CL102890	LC1286 ELEC CTL	Electrified Cylindrical Lockset, 12-24v AC/DC, Selectable Fail safe/Fail secure w/ REX	US26D	2 3/4"	6		·							

Electrical Specifications:
Voltage: 12-24V AC/DC (11V - 30V)
Current: 250mA MAX Inrush, 10mA MAX Holding
Non-polarized Leads

Fail Safe (Power Lock):
Outside trim is locked when power is applied and unlocked when power is removed.
Lockset will unlock in the event of a power failure.

Fail Secure (Power Unlock):
Outside trim is unlocked when power is applied and locked when power is removed. Lockset will lock in the event of a power failure.


Key Function:
The latch bolt may be momentarily retracted with a key even though the lockset is electrically locked.

Switch Slider Settings:
Yellow: Fail Secure
Green: Fail Safe

Note:
Power must be applied to the lock after a switch slider setting change.

▲ To Index

LC2400 Series - Cortland HEAVY DUTY



- 3 1/2" Rose
- Freewheeling Clutch
- 1 3/8" to 2" Door
- ASA Strike
- Schlage C Keyway
- 2 3/4" Latch

2 3/8" Latch Available Upon Request.



ITEM #	PART	FUNCTION	FINISH	BACK SET	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL100147	LC2481 CTL	ENTRANCE	US26D	2 3/4"	6		·	·	·	·	·	·		
CL100130	LC2475 CTL	PASSAGE	US26D	2 3/4"	6		·	·	·	·	·	·		
CL100139	LC2476 CTL	PRIVACY	US26D	2 3/4"	6		·	·	·	·	·	·		
CL100167	LC2486 CTL	STOREROOM	US26D	2 3/4"	6		·	·	·	·	·	·		
CL100162	LC2484 CTL	CLASSROOM	US26D	2 3/4"	6		·	·	·	·	·	·		
CL100572	LC2491 CTL	COMMUNICATING	US26D	2 3/4"	6		·	·						
CL100126	LC2401 CTL	SINGLE DUMMY	US26D	2 3/4"	6		·	·	·	·	·	·		
CL100146	LC2481 CTL IC	ENTRANCE (IC)	US26D	2 3/4"	6		·	·	·	·	·	·		
CL100165	LC2486 CTL IC	STOREROOM (IC)	US26D	2 3/4"	6		·	·	·	·		·		
CL100161	LC2484 CTL IC	CLASSROOM (IC)	US26D	2 3/4"	6		·	·	·	·	·	·		
US19 CL102910	LC2481 CTL	ENTRANCE	US19	2 3/4"	6		·							
US19 CL102913	LC2486 CTL	STOREROOM	US19	2 3/4"	6		·							
US19 CL102911	LC2475 CTL	PASSAGE	US19	2 3/4"	6		·							
US19 CL102912	LC2476 CTL	PRIVACY	US19	2 3/4"	6		·							

Equal To: Cal-Royal SL, CSL, XP & ALC, Falcon W500 series, Hager 3500 series, Corbin CL3800 series, Sargent 65 series, Schlage AL series, Yale 4600LN series

LC2600 Series - Cortland STANDARD DUTY



- 3 1/4" Rose
- 1 3/8" to 2" Door
- ASA Strike
- Schlage C Keyway
- IC Available
- 2 3/4" Latch

2 3/8" Latch Available Upon Request.

ITEM #	PART	FUNCTION	FINISH	BACK SET	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL102600	LC2680 CTL	EXIT	US26D	2 3/4"	6		·							
CL100983	LC2681 CTL	ENTRANCE	US26D	2 3/4"	6		·	·	·	·	·	·	·	·
CL101918	LC2681 CTL FW	CLUTCH ENTRANCE	US26D	2 3/4"	6		·	·	·	·	·	·	·	
CL101086	LC2682 CTL	OFFICE	US26D	2 3/4"	6		·	·			·	·		
CL100985	LC2675 CTL	PASSAGE	US26D	2 3/4"	6		·	·	·	·	·	·	·	·
CL100984	LC2676 CTL	PRIVACY	US26D	2 3/4"	6		·	·	·	·	·	·	·	·
CL101027	LC2686 CTL	STOREROOM	US26D	2 3/4"	6		·	·	·	·	·	·	·	·
CL101959	LC2686 CTL FW	CLUTCH STOREROOM	US26D	2 3/4"	6		·					·		
CL102378	LC2687 CTL	INSTITUTION	US26D	2 3/4"	6		·						·	
CL101116	LC2684 CTL	CLASSROOM	US26D	2 3/4"	6		·	·	·	·		·	·	·
CL101977	LC2684 CTL FW	CLUTCH CLASSROOM	US26D	2 3/4"	6		·		·			·		
CL102266	LC26110 CTL	CLASSROOM INTRUDER	US26D	2 3/4"	6		·						·	
CL101028	LC2601 CTL	SINGLE DUMMY	US26D	2 3/4"	6		·	·	·	·	·	·	·	
CL102260	LC2681 CTL IC	ENTRANCE	US26D	2 3/4"	6		·	·	·				·	·
CL102261	LC2686 CTL IC	STOREROOM	US26D	2 3/4"	6		·	·	·				·	·
CL102262	LC2684 CTL IC	CLASSROOM	US26D	2 3/4"	6		·	·	·				·	·
CL102267	LC26110 CTL IC	CLASSROOM INTRUDER	US26D	2 3/4"	6		·							
CL102066	LC2681 CTL	ENTRANCE	US10B	2 3/4"	6		·	·	·			·		
CL102067	LC2675 CTL	PASSAGE	US10B	2 3/4"	6		·	·	·			·		
CL102068	LC2676 CTL	PRIVACY	US10B	2 3/4"	6		·	·	·			·		
CL102069	LC2686 CTL	STOREROOM	US10B	2 3/4"	6		·	·	·			·		
CL102070	LC2684 CTL	CLASSROOM	US10B	2 3/4"	6		·	·	·			·		

Equal To: Cal-Royal SL, CSL, XP & ALC, Falcon W500 series, Hager 3500 series, Corbin CL3800 series, Sargent 65 series, Schlage AL series, Yale 4600LN series

Grade 2 Locks



- 3" Rose
- ASA Strike
- Schlage C Keyway
- 2 ⅜" - 2 ¾" Adj. Latch

LT2000 Series – Cortland LIGHT DUTY

ITEM #	PART	FUNCTION	FINISH	BACK SET ADJUSTABLE	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL100357	LT2081 CTL	ENTRANCE	US26D	2 ⅜" - 2 ¾"	10		·	·	·	·	·	·		
CL100427	LT2075 CTL	PASSAGE	US26D	2 ⅜" - 2 ¾"	10		·	·	·	·	·	·		
CL100428	LT2076 CTL	PRIVACY	US26D	2 ⅜" - 2 ¾"	10		·	·	·		·	·		
CL100729	LT2086 CTL	STOREROOM	US26D	2 ⅜" - 2 ¾"	10		·	·	·		·	·		
CL100624	LT2001 CTL	SINGLE DUMMY	US26D	—	10		·							

Ball Knobs



- 3" Rose
- ASA Strike
- Schlage C Keyway
- 2 3/4" Latch

2 3/8" Latch Available Upon Request.

KC2300 Series – Empire HEAVY DUTY

ITEM #	PART	FUNCTION	FINISH	BACK SET	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL100031	KC2381 EMP	ENTRANCE	US32D	2 3/4"	10		·	·	·	·	·	·		
CL100019	KC2375 EMP	PASSAGE	US32D	2 3/4"	10		·	·	·	·	·	·		
CL100023	KC2376 EMP	PRIVACY	US32D	2 3/4"	10		·	·	·		·	·		
CL100043	KC2386 EMP	STOREROOM	US32D	2 3/4"	10		·	·	·		·	·		
CL100038	KC2384 EMP	CLASSROOM	US32D	2 3/4"	10		·	·	·			·		
CL100919	KC2301 EMP	SINGLE DUMMY	US32D	2 3/4"	10		·	·	·			·		

Equal To: Cal-Royal BA series, Arrow 151 series, Corbin 5600 series, Russwin CK3300 & CK4200 series, Sargent 6 line, Schlage A series, Yale 5300 series



- 3" Rose
- ASA Strike
- Schlage C Keyway
- 2 ⅜" - 2 ¾" Adj. Latch

KT2100 Series – Empire (EMP) LIGHT DUTY

ITEM #	PART	FUNCTION	FINISH	BACK SET ADJUSTABLE	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL100732	KT2181 EMP	ENTRANCE	US32D	2 ⅜" - 2 ¾"	10		·	·	·	·	·	·		
CL100733	KT2175 EMP	PASSAGE	US32D	2 ⅜" - 2 ¾"	10		·	·	·	·	·	·		
CL100742	KT2176 EMP	PRIVACY	US32D	2 ⅜" - 2 ¾"	10		·	·	·		·	·		
CL101705*	KT2186 EMP	STOREROOM	US32D	2 ⅜" - 2 ¾"	10		·	·	·		·	·		

* CL101705 comes with a T strike.

To Index

To Index



DB1000 Series GRADE 1 HEAVY DUTY DEADBOLT

ITEM #	PART	FUNCTION	FINISH	BACK SET	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL100678	DB1051	Single Cylinder	US32D	2 3/4"	8		·	·	·		·		·	·
CL100933	DB1051 IC	Single Cylinder	US32D	2 3/4"	8		·	·				·	·	

Equal To: Schlage B660, Hager 3100, Cal-Royal CRB800, Corbin DL3200, Falcon D100, Arrow D Series, Sargent 480, Design Hardware D1, PDQ KT series, Yale 1000 series



DB2000 Series GRADE 2 STANDARD DUTY DEADBOLT

ITEM #	PART	FUNCTION	FINISH	BACK SET	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL110180	DB2051	Single Cylinder	US32D	Adj 2 3/8" or 2 3/4"	10		·	·	·	·	·	·	·	·
CL100178	DB2041	Double Cylinder	US32D	Adj 2 3/8" or 2 3/4"	10		·	·	·	·	·	·	·	
CL100425	DB2051 IC	Single Cylinder	US32D	2 3/4"	10		·	·	·			·	·	
CL100582	DB2051	Single Cylinder	US10B	Adj 2 3/8" or 2 3/4"	10		·		·			·	·	
CL100734	DB2041	Double Cylinder	US10B	Adj 2 3/8" or 2 3/4"	10		·		·			·	·	
US19 CL102901	DB2051	Single Cylinder	US19	Adj 2 3/8" or 2 3/4"	10		·							



Equal To: Schlage B160, BC160, Hager 3200, Cal-Royal T300, Corbin DL2200, Falcon D200, Arrow DBX Series, Sargent 460, Design Hardware D2, PDQ KV & KM series, Yale D200 series

To Index



LE2000 Series – Keypad COMMERCIAL DUTY

- Electronic Access
- F-SQ and F-RC Strike
- 5-pin SCC SMT Keyway
- Adjustable Latch

ITEM #	PART	FUNCTION	STYLE	FINISH	BACK SET	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL103931	LE2000	ENTRANCE	Cortland	US19	Adjustable 2 3/8" or 2 3/4"	1		•							
CL103930	LE2000	ENTRANCE	Cortland	US26D	Adjustable 2 3/8" or 2 3/4"	1		•							



KE2000 Series – Keypad COMMERCIAL DUTY

- Electronic Access
- F-SQ and F-RC Strike
- 5-pin SCC SMT Keyway
- Adjustable Latch

ITEM #	PART	FUNCTION	STYLE	FINISH	BACK SET	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL103955	KE2000	ENTRANCE	Empire	US26D	Adjustable 2 3/8" or 2 3/4"	1		•							



DE2000 Series – Keypad COMMERCIAL DUTY

- Electronic Access
- F-SQ and F-RC Strike
- 5-pin SCC SMT Keyway
- Adjustable Latch

ITEM #	PART	FUNCTION	STYLE	FINISH	BACK SET	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL103965	DE2000	ENTRANCE	Deadbolt	US19	Adjustable 2 3/8" or 2 3/4"	1		•							
CL103964	DE2000	ENTRANCE	Deadbolt	US15	Adjustable 2 3/8" or 2 3/4"	1		•							
CL103963	DE2000	ENTRANCE	Deadbolt	US26D	Adjustable 2 3/8" or 2 3/4"	1		•							



5000 Series – Keypad HEAVY DUTY

- Electronic Access
- ASA Strike
- 6-pin SCC Keyway
- 2 3/4" Latch

ITEM #	PART	FUNCTION	STYLE	FINISH	BACK SET	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL102662	CL5210BS	ENTRANCE	Lever to Lever	Brushed Steel	2 3/4"	5									
CL102663	CL5000PK	ENTRANCE	Lever to Exit	Brushed Steel	2 3/4"	5									

2 3/4" latch standard, 2 3/8" latch available at no additional charge.
Available in SFIC upon request.



600 Series – Mechanical Keypad HEAVY DUTY

- Mechanical Access
- ASA Strike
- 6-pin SCC Keyway
- 2 3/4" Latch

ITEM #	PART	FUNCTION	STYLE	FINISH	BACK SET	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
CL102660	CL610BS	ENTRANCE	Lever to Lever	Brushed Steel	2 3/4"	5									
CL102661	CL600PK	ENTRANCE	Lever to Exit	Brushed Steel	2 3/4"	5									

2 3/4" latch standard, 2 3/8" latch available at no additional charge.



7000 Series COMMERCIAL DUTY

ITEM #	PART	FUNCTION	FINISH	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
EX100314	7300B	RIM DEVICE 36"	US32D	4		·	·	·			·		·
EX100327	F7300B	FIRE RATED RIM DEVICE 36"	US32D	4		·	·	·			·		·
EX100315*	7400B	SURFACE VERTICAL ROD 36"	US32D	4		·		·			·		
EX100328*	F7400B	FIRE RATED SURFACE VERTICAL ROD 36"	US32D	4		·							
DT101873	N/A	AUXILIARY FIRE LATCH	US32D	1		·							


SD100223 - 7' x 1 1/2" x 2 1/2" Steel Mullion Non UL Prime Net

* Bottom rods can be removed for a LBR conversion and Auxiliary Fire Latch (DT101873) must be used to maintain fire listing.

Equal To: Cal-Royal 9800, Design 1000R, Von Duprin 99, Hager 4500, Sargent 8800



DT101873



8000 Series HEAVY DUTY

ITEM #	PART	FUNCTION	FINISH	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
EX100002	8300B	RIM DEVICE 36"	ALUM	6		·	·	·	·	·	·	·	·
EX100256	8300B	RIM DEVICE 36" WITHOUT DEADLATCH	ALUM	6		·	·	·	·	·	·		
EX100048	8300B	RIM DEVICE 36"	US32D	6		·	·						
EX100172	8300B	RIM DEVICE 36"	DURO	6		·		·		·		·	
US19 EX100476	8300B	RIM DEVICE 36"	US19	6		·							
EX100046	F8300B	FIRE RATED RIM EXIT DEVICE 36"	ALUM	6		·	·	·	·	·	·	·	·
EX100061	F8300B	FIRE RATED RIM EXIT DEVICE 36"	US32D	6		·							
US19 EX100493	F8300B	FIRE RATED RIM EXIT DEVICE 36"	US19	6		·							
EX100047	8300A	RIM DEVICE 48"	ALUM	6		·	·	·	·	·	·	·	·
EX100059	F8300A	FIRE RATED RIM DEVICE 48"	ALUM	6		·	·	·					
DT101873	N/A	AUXILIARY FIRE LATCH	US32D	1		·							
EX100066	8300B ALARM	RIM DEVICE 36" W/ ALARM	ALUM	6		·							
EX100042*	8400B	SURFACE VERTICAL ROD 36"	ALUM	6		·	·	·	·		·	·	
EX100049*	8400B	SURFACE VERTICAL ROD 36"	US32D	6		·		·			·		
EX100043*	F8400B	FIRE RATED SURFACE VERTICAL ROD 36"	ALUM	6		·					·		
EX100063*	F8400B	FIRE RATED SURFACE VERTICAL ROD 36"	US32D	6		·							
EX100458	8400A	SURFACE VERTICAL ROD 48"	ALUM	6		·							
EX100309		12" EXTENSION ROD FOR 8400	ALUM	1		·							
EX100385		24" EXTENSION ROD FOR 8400	ALUM	1		·							

SD100223 - 7' x 1 1/2" x 2 1/2" Steel Mullion Non UL Prime Net

* Bottom rods can be removed for a LBR conversion and Auxiliary Fire Latch (DT101873) must be used to maintain fire listing.

Equal To: Cal-Royal 2200, Design 2000R, Von Duprin 22, Hager 4700, Sargent 20 Series



DT101873



9000 Series HEAVY DUTY

ITEM #	PART	FUNCTION	FINISH	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
EX100075	9500B	RIM DEVICE 36"	US32D	4		·	·	·	·	·	·	·	·
EX100076	9500A	RIM DEVICE 48"	US32D	4		·	·				·		
EX100078	F9500B	FIRE RATED RIM EXIT DEVICE 36"	US32D	4		·	·	·	·		·	·	·
EX100426	F9500A	FIRE RATED RIM EXIT DEVICE 48"	US32D	4		·							
EX100080*	9400B	SURFACE VERTICAL ROD 36"	US32D	4		·	·	·	·		·	·	·
EX100082*	F9400B	FIRE RATED SURFACE VERTICAL ROD 36"	US32D	4		·					·		
EX100407		EXTENDING ROD FOR 9400 12"	US32D	–		·							
EX100412		EXTENDING ROD FOR 9400 24"	US32D	–		·							
CL102386	ELRK	LATCH RETRACTION KIT , 9400 & 9500 SERIES EXIT DEVICES INSTALLED ADD NET EACH	N/A	1	ADD			·					
EX100467		REX SWITCH		1		·							
DT101873	N/A	AUXILIARY FIRE LATCH	US32D	1		·							

SD100223 - 7' x 1 1/2" x 2 1/2" Steel Mullion Non UL Prime Net

* Bottom rods can be removed for a LBR conversion and Auxiliary Fire Latch (DT101873) must be used to maintain fire listing.

Equal To: Cal-Royal 9800, Design 1000R, Von Duprin 99, Hager 4500, Sargent 8800



DT101873





9100 Series HEAVY DUTY MORTISE

ITEM #	PART	FUNCTION	FINISH	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
EX100337	9100B	MORTISE DEVICE 36"	US32D	4		·							
EX100338	9100A	MORTISE DEVICE 48"	US32D	4		·							
EX100339	F9100B	FIRE RATED MORTISE DEVICE 36"	US32D	4		·	·						
EX100340	F9100A	FIRE RATED MORTISE DEVICE 48"	US32D	4		·							
EX100342	ESC9181	ESC ENTRY ESCUTCHEON LEVER TRIM (Other Exit Trims Do Not Work With This Device)	US32D	12		·							
CA EX100469	9100B	MORTISE DEVICE 36"	US32D	4							·		
CA EX100470	9100A	MORTISE DEVICE 48"	US32D	4							·		
CA EX100471	F9100B	FIRE RATED MORTISE DEVICE 36"	US32D	4							·		
CA EX100472	F9100A	FIRE RATED MORTISE DEVICE 48"	US32D	4							·		

CA California Code: 5 lbs opening force on ADA compliant product.

Equal To: Cal-Royal 9800, Design 1000R, Von Duprin 99, Hager 4500, Sargent 8800

To Index



9000 Series Narrow Stile Exits HEAVY DUTY

ITEM #	PART	FUNCTION	FINISH	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
EX100478	N9500B	NARROW STILE RIM DEVICE 36"	US32D	4		·							·
EX100479	N9500A	NARROW STILE RIM DEVICE 48"	US32D	4		·							·
EX100480	NF9500B	NARROW STILE FIRE RATED RIM EXIT DEVICE 36"	US32D	4		·							
EX100481	NF9500A	NARROW STILE FIRE RATED RIM EXIT DEVICE 48"	US32D	4		·							
EX100482	N9400B	NARROW STILE SURFACE VERTICAL ROD 36"	US32D	4		·							
EX100407		EXTENDING ROD FOR N9400 12"	US32D	–		·							
EX100412		EXTENDING ROD FOR N9400 24"	US32D	–		·							
CL102386	ELRK	LATCH RETRACTION KIT 9400 & 9500 SERIES EXIT DEVICES INSTALLED ADD NET EACH	N/A	1	ADD	·							
EX100467		REX SWITCH		1		·							
DT101873	N/A	AUXILIARY FIRE LATCH	US32D	1		·							

SD100223 - 7' x 1 1/2" x 2 1/2" Steel Mullion Non UL Prime Net

* Bottom rods can be removed for a LBR conversion and Auxiliary Fire Latch (DT101873) must be used to maintain fire listing.

Equal To: Cal-Royal 9800, Design 1000R, Von Duprin 99, Hager 4500, Sargent 8800

9000 Series Narrow Stile Exit Trim

ITEM #	PART	FUNCTION	FINISH	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
EX100486	NESC881-HD	Narrow Stile Heavy Duty Escutcheon Lever Trim Entry	US26D	NA		·							·
EX100487	NESC886-HD	Narrow Stile Heavy Duty Escutcheon Lever Trim Storeroom	US26D	NA		·							
EX100488	NESC875-HD	Narrow Stile Heavy Duty Escutcheon Lever Trim Passage	US26D	NA		·							
EX100489	NESC-PT886	Narrow Stile Heavy Duty Pull Trim Storeroom	US26D	NA		·							·
EX100490	NESC-PT801	Narrow Stile Heavy Duty Pull Trim Dummy	US26D	NA		·							



NESC881-HD
NESC886-HD
NESC875-HD



NESC-PT886



NESC-PT801

Grade 1 Exit TRIM

To Index

ITEM #	PART	FUNCTION	FINISH	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
EX100013	8PDT	Exterior Pull Blank	ALUM	NA		•	•	•	•		•	•	
EX100014	8P03	Exterior Pull WIth Cylinder Cut Out	ALUM	NA		•	•	•	•	•	•	•	
EX100005	CTL881	CTL ENTRY Lever Trim	US26D	NA		•	•	•	•	•	•	•	•
EX100044	CTL881	CTL ENTRY Lever Trim - IC	US26D	NA		•	•	•	•	•	•	•	
EX100173	CTL881	CTL ENTRY Lever Trim	DURO	NA		•							
US19 EX100477	CTL881	CTL ENTRY Lever Trim	US19	NA		•							
EX100006	CTL875	CTL PASSAGE Lever Trim	US26D	NA		•	•	•	•	•	•	•	
EX100038	CTL886	CTL STOREROOM Lever Trim	US26D	NA		•	•	•	•		•	•	•
EX100045	CTL886IC	CTL STOREROOM Escutcheon Lever Trim - IC	US26D	NA		•							
EX100054	ESC881	ESC ENTRY Escutcheon Lever Trim	US26D	NA		•	•	•	•	•	•	•	
US19 EX100492	ESC881	ESC ENTRY Escutcheon Lever Trim	US19	NA		•							
EX100056	ESC875	ESC PASSAGE Escutcheon Lever Trim	US26D	NA		•	•	•	•	•	•	•	
EX100055	ESC886	ESC STOREROOM Escutcheon Lever Trim	US26D	NA		•	•	•	•		•	•	
EX100057	ESC801	ESC DUMMY Escutcheon Lever Trim	US26D	NA		•		•				•	
EX100303	ESCHD	HEAVY DUTY ESC ENTRY Lever Trim	US32D	NA		•	•	•	•	•	•	•	•
EX100466	ESC-886HD EU	ELECTRIFIED FAIL SECURE – HEAVY DUTY ESC ENTRY Lever Trim	US32D	NA							•		
EX100468	ESC-886HD EL	ELECTRIFIED FAIL SAFE – HEAVY DUTY ESC ENTRY Lever Trim	US32D	NA		Special Order							
EX100445	ESC-PT886	STOREROOM Escutcheon Pull Trim	US32D	NA		•							•
EX100446	ESC-PT801	DUMMY Escutcheon Pull Trim	US32D	NA		•							



8PDT



8P03



CTL - LEVER TRIM



ESC - ESCUTCHEON LEVER



ESCHD - HEAVY DUTY ESCUTCHEON LEVER




ESC-PT PULL STOREROOM



ESC-PT PULL DUMMY

Grade 1 Door Closers





- Parallel Arm Bracket
- Backcheck
- Meets ADA
- Lifetime Warranty


600 Series HEAVY DUTY

Same Hole Pattern As Norton 1601

ITEM #	PART	FUNCTION	FINISH	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
DC100018	12641	ADJUSTABLE 1-4 (INTERIOR NO COVER)	ALUM	4		·	·	·			·	·	
DC100045	15641	ADJUSTABLE 1-4 (INTERIOR NO COVER)	DURO	4		·	·	·			·	·	
US19 DC100451	19641	ADJUSTABLE 1-4 (INTERIOR NO COVER)	US19	4		·							
DC100146	12640	ADJUSTABLE 3-6 (EXTERIOR NO COVER)	ALUM	4		·	·	·			·		
DC100229	15640	ADJUSTABLE 3-6 (EXTERIOR NO COVER)	DURO	4		·	·	·			·		
DC100108	12641	ADJUSTABLE 1-4 (INTERIOR FULL COVER)	ALUM	4		·	·	·	·		·	·	·
DC100106	15641	ADJUSTABLE 1-4 (INTERIOR FULL COVER)	DURO	4		·	·	·			·		·
DC100209	12640	ADJUSTABLE 3-6 (EXTERIOR FULL COVER)	ALUM	4		·	·	·	·		·	·	·
DC100044	15640	ADJUSTABLE 3-6 (EXTERIOR FULL COVER)	DURO	4		·	·	·			·	·	·
DC100022	12644	FIXED SIZE 4 (NO COVER)	ALUM	4		·	·	·			·		
DC100048	15644	FIXED SIZE 4 (NO COVER)	DURO	4		·	·	·			·		
DC100097		Friction Hold Open Arm	ALUM	1		·	·	·	·	·	·		
DC100098		Friction Hold Open Arm	DURO	1		·	·	·	·	·	·		
DC100222		Sex Nuts	ALUM	1		·	·	·	·	·	·		
DC100095		Sex Nuts	DURO	1		·	·	·	·	·	·		

Equal To: Cal-Royal 300 Series, Design 116 Series, Dorma 7400, International 9000, **Norton 1601**, Yale 51 Series, Sargent 1130, Sargent 1431, Hager 5300





- Parallel Arm Bracket
- Sex Nuts
- Backcheck
- Meets ADA
- Full Cover
- Lifetime Warranty


700 Series HEAVY DUTY

ITEM #	PART	FUNCTION	FINISH	CTN	LIST	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
DC100316	12741	ADJUSTABLE 1-6	ALUM	6		·	·	·		·	·	·	
DC100407	15741	ADJUSTABLE 1-6	DURO	6		·	·	·			·	·	
DC100410		Friction Hold Open Arm	ALUM	1		·	·	·			·		·
DC100411		Friction Hold Open Arm	DURO	1		·	·	·			·		·

Equal To: Cal-Royal N900 Series

Grade 1 Door Closers





- Parallel Arm Bracket
- Sex Nuts
- Backcheck
- Meets ADA
- Full Cover
- Lifetime Warranty


800 Series HEAVY DUTY

Same Hole Pattern As Norton 8301/8501

ITEM #	PART	FUNCTION	FINISH	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
DC100159	12816	ADJUSTABLE 1-6	ALUM	4		·	·	·	·	·	·	·	·
DC100160	15816	ADJUSTABLE 1-6	DURO	4		·	·	·	·	·	·	·	·
US19 DC100452	19816	ADJUSTABLE 1-6	US19	4		·							
DC100428		Friction Hold Open Arm	ALUM	1		·	·	·		·	·		

Equal To: Cal-Royal 801, Design 316, Dorma 8616, International 9000, LCN 1460, **Norton 8000,** Yale 3000, Sargent 1430, Hager 5200





- Parallel Arm Bracket
- Sex Nuts
- Backcheck
- Meets ADA
- Full Cover
- Lifetime Warranty

900 Series HEAVY DUTY


Same Hole Pattern As LCN 4040

ITEM #	PART	FUNCTION	FINISH	CTN		PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
DC100075	12916	ADJUSTABLE 1-6	ALUM	4		·	·	·	·	·	·	·	·
DC100123	15916	ADJUSTABLE 1-6	DURO	4		·	·	·	·	·	·	·	·
DC100138		Friction Hold Open Arm	ALUM	1		·	·	·		·	·		
DC100139		Friction Hold Open Arm	DURO	1		·	·	·		·	·		
DC100181		Heavy Duty Dead Stop HO Arm	ALUM	1		·	·	·	·	·	·		·
DC100190		Heavy Duty Dead Stop HO Arm	DURO	1		·	·	·		·	·		·

Equal To: Cal-Royal 441, Design 416, Dorma 8916, **LCN 4040,** Norton 7500, Yale 4400, Sargent 281, Hager 5100


▲ To Index

H4545 Series – PLAIN BEARING



ITEM #	SIZE	DESCRIPTION	FINISH	UNITS/ BOX	CTN	LIST BOX	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
HG100002	4.5"x 4.5"	PLAIN BEARING HINGE	US26D	3	30		·	·	·	·	·		·	
HG100003	4.5"x 4.5"	PLAIN BEARING HINGE NRP*	US26D	3	30		·	·	·	·	·	·	·	
HG100020	4.5"x 4.5"	PLAIN BEARING HINGE	USP	3	30		·		·			·	·	
HG100021	4.5"x 4.5"	PLAIN BEARING HINGE NRP	USP	3	30		·		·			·	·	
HG100035	4.5"x 4.5"	PLAIN BEARING HINGE NRP	PC Dk Bronze	3	30		·	·	·		·	·	·	
HG100315	4.5"x 4.5"	PLAIN BEARING HINGE *	32D	1	6		·							


H4545 Series – BALL BEARING



ITEM #	SIZE	DESCRIPTION	FINISH	UNITS/ BOX	CTN	LIST BOX	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
HG100012	4.5"x 4.5"	BALL BEARING HINGE	USP	3	30		·		·			·	·	
HG100013	4.5"x 4.5"	BALL BEARING HINGE NRP	USP	3	30		·		·			·	·	
HG100004	4.5"x 4.5"	BALL BEARING HINGE	US26D	3	30		·	·	·	·	·	·	·	
US19 HG100330	4.5"x 4.5"	BALL BEARING HINGE	US19	3	30		·							
HG100005	4.5"x 4.5"	BALL BEARING HINGE NRP	US26D	3	30		·	·	·	·	·	·	·	·
US19 HG100334	4.5"x 4.5"	4.5 X 4.5 BB NRP US19 HINGE 3 PACK	US19	3	30									
HG100235	4.5"x 4.5"	BALL BEARING HINGE	US10B	3	30		·		·			·	·	
HG100236	4.5"x 4.5"	BALL BEARING HINGE NRP	US10B	3	30		·	·	·			·	·	
HG100317	4.5"x 4.5"	BALL BEARING HINGE *	US32D	1	6		·							
HG100006	4.5"x 4.5"	BALL BEARING HINGE NRP	US32D	3	30		·	·	·	·	·	·	·	
HG100051	4.5"x4.5"	HEAVY WEIGHT BALL BEARING NRP	US26D	3	30		·	·	·	·			·	

*NRP = Non Removable Pin

SPRING HINGES



ITEM #	SIZE	DESCRIPTION	FINISH	UNITS/ BOX	CTN	LIST BOX	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
US19 HG100335	4.5"x4.5"	FULL MORTISE, STD WEIGHT*	US19	1	50		·							
HG100323	3.5" x 3.5"	FULL MORTISE, STD WEIGHT*	US32D	1	6		·							·
HG100321	4" x 4"	FULL MORTISE, STD WEIGHT*	US32D	1	6		·							·
HG100014	4.5"x 4.5"	FULL MORTISE, STD WEIGHT*	US26D	1	30		·	·	·	·	·	·	·	·
HG100318	4.5"x4.5"	FULL MORTISE, STD WEIGHT*	US32D	1	6		·							

Hinge Features:

Performance Complies with ANSI A156.1, 1999 (plain bearing and ball bearing)

Hinge 4 ½" x 4 ½", square corner,d, .134" gauge steel
4" x 4", square corner,d, .134" gauge steel
3 ½" x 3 ½", square corner,d, .134" gauge steel


Screws Furnished with 24 metal screws and 24 #12 wood screws

Continuous Hinges


To Index

Other ABH products are available – special order.

ITEM #	PART	FUNCTION	FINISH	PEMKO EQUIV.	NET	PA	HTX	DAL	BHM	ELK	LAC	FLA	MIN
HG100287	A570HDC083	83" Full Surface Continuous Hinge	ALUM	C-FS-83-CP			•	•				•	
HG100290	A570HDC095	95" Full Surface Continuous Hinge	ALUM	C-FS-95-CP			•	•				•	
HG100292	A570HDD083	83" Full Surface Continuous Hinge	BRONZE	D-FS-83-CP		3 DAY LEAD TIME FOB Chicago, IL							
HG100299	A570HDD095	95" Full Surface Continuous Hinge	BRONZE	D-FS-95-CP									
HG100300	A110HDC083	83" Full Mortise Continuous Hinge	ALUM	C-FM-83		3 DAY LEAD TIME FOB Chicago, IL							
HG100301	A110HDD083	83" Full Mortise Continuous Hinge	BRONZE	D-FM-83									



A570HD



A110HD

To Index

Stocked In All Locations



DOOR VIEWER

ITEM #	DESCRIPTION	FINISH	
DT101589	190 Degree UL Door Viewer w/ Privacy Cover	US26	



DUSTPROOF STRIKE

ITEM #	DESCRIPTION	FINISH	
CL101125	2 7/8" x 2 1/4" cast brass. Comes with 2 ea. #8 x 1" SMS, and 2 ea. Plastic Anchor	US26D	



FLIP GUARD

ITEM #	DESCRIPTION	FINISH	
DT101942	1-1/2" x 2-13/16", Zinc Die Cast, ADA Compliant	US26D	





FLOOR STOPS

ITEM #	DESCRIPTION	FINISH	
DT100033	DOME STOP LOW PROFILE	US26D	
DT100186	DOME STOP LOW PROFILE	US10B	
DT100032	DOME STOP HIGH PROFILE	US26D	
DT100188	DOME STOP HIGH PROFILE	US10B	
US19 DT101946	DOME STOP HIGH PROFILE	US19	
DT100038	HIGH PEDESTAL FLOOR STOP	US26D	



FLUSH BOLTS

ITEM #	DESCRIPTION	FINISH	
DT100043	12" Flush Bolt Hollow Metal Door	US26D	
DT101920	12" Flushbolt Extension Rod Hollow Metal Door		
DT100042	Flush Bolt Wood Door	US26D	



KICKPLATES

ITEM #	DESCRIPTION	FINISH	
US19 DT101945	KICK PLATE - 6" X 30"	US19	
DT100052	KICK PLATE - 8" X 34"	US32D	
DT100051	KICK PLATE - 8" X 34"	Aluminum	
US19 DT101951	KICK PLATE - 8" X 34"	US19	
DT100152	KICK PLATE - 10" X 34"	US32D	
DT100280	KICK PLATE - 10" X 34"	Aluminum	

Miscellaneous Hardware



LATCHES

	ITEM #	DESCRIPTION	FINISH	
US19	CL103945	2-3/4" UNGUARDED LC2400	US19	
US19	CL102909	2-3/4" GUARDED LC2400	US19	
US19	CL103946	2-3/8" GUARDED LC2400	US19	
US19	CL103947	2-3/8" UNGUARDED LC2400	US19	
	CL100212	2-3/8" GUARDED	32D	
	CL102013	2-3/8" UNGUARDED	32D	
	CL100213	2-3/4" GUARDED	32D	



LATCH GUARD

ITEM #	DESCRIPTION	FINISH	
DT100061	Latch Guard Protector 3" x 11"	ALUM	



METAL DOOR SILENCER

ITEM #	DESCRIPTION	FINISH	
DT100030	Door Silencer For Metal Frame Door (Pack of 100)	Gray Rubber	



PUSH & PULL PLATES

	ITEM #	DESCRIPTION	FINISH	
US19	DT101943	3.5" X 15" PULL PLATE	US19	
US19	DT101944	3.5" X 15" PUSH PLATE	US19	
	DT100148	4" X 16" PULL PLATE	US32D	
	DT100149	4" X 16" PUSH PLATE	US32D	
	DT101733	4" X 16" PULL PLATE	US10B	
	DT100202	4" X 16" PUSH PLATE	US10B	



STRIKES

	ITEM #	DESCRIPTION	FINISH	
	CL100186	ASA Strike (1-1/4" x 4-7/8" x 3/32")	US32D	
US19	CL102914	ASA Strike (1-1/4" x 4-7/8" x 3/32")	US19	
	CL100191	T - Strike (1-1/8" x 2-3/4" x 3/32")	US32D	
US19	CL102908	T - Strike (1-1/8" x 2-3/4" x 3/32")	US19	
	CL100190	Full Lip Strike (1-5/8" x 2-1/4" x 3/32")	US32D	



SURFACE BOLTS

ITEM #	DESCRIPTION	FINISH	
DT100017	8" – 1-1/8" bolt throw. U.L. Listed bolt with rim and mortise strikes – polybagged.	US26D	
DT101937	12" – 1-1/8" bolt throw. U.L. Listed bolt with rim and mortise strikes – polybagged.		
DT100018	1-1/8" bolt throw, 1/4" x 3/4" bolt material (Concealed Mount) U.L. Listed for use on inactive leaf of a pair of 3-hour labeled fire doors. Includes a universal top strike and a mortise bottom strike.	US26D	

Order by product ID number.

To Index

WALL STOPS



ITEM #	DESCRIPTION	FINISH	
DT101642	WALL BUMPER CONCAVE	US32D	
DT100184	WALL BUMPER CONCAVE	US10B	
DT101947	WALL BUMPER CONCAVE	US19	
DT100084	WALL BUMPER CONCAVE	US26D	

US19

HANDS FREE DOOR PULLS

Tell hands-free door pull solutions with an anti-microbial finish applied. High-quality, heavy duty, stainless steel for ultimate strength arm pulls and foot pull, designed for hands-free operation for opening doors. Great for small offices, schools, storefronts, bathrooms and common passage areas. For hygienic protection we applied a Microban finish to our arm pulls*, designed to inhibit the spread of germs and bacteria.

ITEM #	DESCRIPTION	FINISH	
DT101926	*Hands-Free Arm-Pull, Curve, Microban (Clear Pack)	US32D	
DT101929	*Hands-Free Arm-Pull, Curve, Microban (Box Pack)	US32D	
DT101927	*Hands-Free Arm-Pull, Upright, Microban (Clear Pack)	US32D	
DT101930	*Hands-Free Arm-Pull, Upright,Microban (Box Pack)	US32D	

ITEM #	DESCRIPTION	FINISH	
DT101925	Hands-Free Foot-Pull (Clear Pack)	US32D	
DT101928	Hands-Free Foot-Pull (Box Pack)	US32D	



DT101926 / DT101929



DT101927 / DT101930



DT101925 / DT101928

SPARTAN

HOLLOW METAL DOORS & FRAMES

Manufactured in Houston, TX

▲ To Index

Tell offers a complete line of standard hollow metal doors to fit your needs. Spartan Doors are available in 20 and 18 gauge steel. All doors come with a polystyrene core as standard, making every door smoother, flatter, and stronger. Spartan Doors are available in a complete range of fire ratings (up to 3 hours) and are certified by Underwriters Laboratories. All door panels are manufactured from high quality Galvannealed steel and are thoroughly cleaned inside and out to insure excellent corrosion resistance and paint adhesion. Spartan Doors

required, for factory finish paint.

Features

- Insulated with polystyrene core
- Non-handed
- Galvannealed (standard)
- Fire rated up to 3 hours
- 7 gauge hinge reinforcements
- Reinforced 161 lock prep
- Closer reinforcement (standard)
- Meets ANSI standards
- Universal 4 ½" hinge prep
- Inverted top and bottom channel
- Installed steel cap standard
- Florida Building Code (FBC) Approved
- Texas Department of Insurance (TDI) Approved

Tell follows the same set of performance specifications as other door manufacturers, as set forth in the Steel Door Institute (SDI) requirements.

HURRICANE APPROVED

To Index

Wind Rating Material

Door Size	Wind Rating	Door Gauge	Frame Gauge	1200 Lever	1300 Mortise	9500 Panic	9100 Mortise	Frame Depths
FL22211								
3070	+/- 50	20	16	•	•	•	•	4 1/4" - 12 1/4"
3070	+/- 70	16	16		•		•	4 1/4" - 12 1/4"
6070	+/- 50	18	16		•			4 1/4" - 12 1/4"
FL17900								
3070	+/- 50	18	16	•	•	•	•	4 1/4" - 12 1/4"
3080	+/- 50	18	16	•	•	•	•	4 1/4" - 12 1/4"
3070	+/- 75	18	16		•		•	4 1/4" - 12 1/4"
3080	+/- 75	18	16		•		•	4 1/4" - 12 1/4"
4070	+/- 50	18	16	•	•	•	•	4 1/4" - 12 1/4"
4080	+/- 50	18	16	•	•	•	•	4 1/4" - 12 1/4"
4070	+/- 75	18	16		•		•	4 1/4" - 12 1/4"
4080	+/- 75	18	16		•		•	4 1/4" - 12 1/4"
FL18463								
6070	+/- 50	16	16		•		•	4 1/4" - 12 1/4"
6080	+/- 50	16	16		•		•	4 1/4" - 12 1/4"
8070	+/- 50	16	16		•		•	4 1/4" - 12 1/4"
8080	+/- 50	16	16		•		•	4 1/4" - 12 1/4"

Add NET For Labeling Door & Frame

This product has been designed and tested to comply with the requirements of the Florida Building Code including High Velocity Hurricane Zone (HVHZ). Depending on the configuration, installation of this product in the HVHZ area may not require the use of approved shutters or external protection devices complying with HVHZ requirements. Please see specific approval documentation at www.floridabuilding.org

PART	DESCRIPTION	
Labels For FL22211		
MSD12081	3070/ 6070 Impact Rated +/- 50	
MSD12082	3070 Impact Rated +/- 70	
Labels For FL17900 and TDI		
MSD12083	Single opening up to 4080 +/- 50 PSF Impact Rated	(TDI DR-829)
MSD12085	Single opening up to 4080 +/- 75 PSF Impact Rated	(TDI DR-829)
MSD12084*	Single opening up to 4080 +/- 50 PSF Non Impact Rated	(TDI DR-830)
MSD12086*	Single opening up to 4080 +/- 75 PSF Non Impact Rated	(TDI DR-830)
Labels For FL18463		
MSD12088*	Double opening up to 8080 +/- 50 PSF Non Impact Rated	(TDI DR-832)
MSD12087	Double opening up to 8080 +/- 50 PSF Impact Rated	(TDI DR-831)

*Insulated Non Impact Rated Glass up to 24 X 30 can be added to these doors.

Miscellaneous Components For Wind Rated Doors

PART	DESCRIPTION	
MSD13837	2 Piece LH Astragal 8' Prime (Required for FL18463 inactive door)	
MSD13838	2 Piece RH Astragal 8' Prime (Required for FL18463 inactive door)	
DT101278	Yale 988Y Surface Bolt (Required for FL1 active door)	
SD101548	6 x 30 Wintech Vision Kit (for use with non-impact doors only)	
SD101546	24 x 30 Wintech Vision Kit (for use with non-impact doors only)	
SD103361	7'0" RH Z Astragal (ASA Only), LHR Inactive	
SD103360	7'0" LH Z Astragal (ASA Only), RHR Inactive	

To Index

Service Center Shop Rates

THESE RATES ARE FOR MODIFYING A STOCK DOOR OR FRAME IN A TELL SHOP.

DOORS

Description	
Vision Lite or Louvers Cutout up to 24" x 12" *	
Vision Lite or Louvers Cutout larger than 24" x 12" *	
Cutout with channel reinforcement up to 24" x 36" *	
Cutout with channel reinforcement larger than 24" x 36" *	
Install Vision LIte or Louver	
Card Lock Prep	
EPT Prep	
Vacant Raceway	
Auxiliary Latch Prep For Fire Rated LBR	
Thru-Bolt Prep	
Prep for Sectional Trim	
Rim Panic Prep	
Deadbolt Prep (includes face and edge prep)	
Lock Edge & Face Blank	
Lock Prep 2 1/8" Bore (includes face and edge prep)	
Automatic Door Bottom Prep	
Concealed Overhead Closer Prep	
Install Flat Astragal	
Install Z-Astragal (includes flushbolt guides, does NOT include Astragal)	
Flushbolt Prep Top and Bottom Edge (includes flushbolt guides)	
Door Undercut with Welded in Channel	
Cut Door in Width	
Convert MB to ASA (includes converter plate and Bondo)	
Convert MB to 161 Prep (includes converter plate and Bondo)	
Make Door Seamless on Both Sides	
Mail Slot (Hole Only)	
Peep Hole Prep	

* Window locations must be provided by customer.

FRAMES

Description	
Welding Single Opening HM Frame w/ Shipping Bar	
Welding Paired Opening HM Frame w/ Shipping Bar	
Continuous Weld (add to above)	
Punch & Dimple Frame And Weld in Existing Opening Anchors (4 each	
Mark and Bundle KD Frames (Per Frame)	
Closer Reinforcements Standard or Parallel	
Single Frame	
Paired Frame	
Deadbolt Prep On Frame	
Reinforce for Surface Mounted Rim Panic Prep On Frame	
Flush Bolt Preparation On Header	
Concealed Closer Prep	
SVR Head Prep	
Reinforcement for Door Coordinator (pair)	
Prep for Continuous Hinge	
EPT Prep	
Blank Out ASA Strike	
Convert ASA Strike to T-Strike	
Add Special ASA Strike Location	
Cut Down Header To Smaller Size (Includes Welding, Bondo & Prime)	
Convert Masonry to Drywall (Includes compression anchor)	

ASTRAGALS

Tell PART	Manufacturer	Manufacturer PART	Description	
SD101105	Gulfport	DR290-68-LH	6'8" Reversible Z Astragal (ASA/FB)	
SD101106	Gulfport	DR290-70-RH	7'0" RH Z Astragal (ASA/FB) Amweld, LHR Inactive	
SD101107	Gulfport	DR290-70-LH	7'0" LH Z Astragal (ASA/FB) Amweld, RHR Inactive	
SD101621	Gulfport	DR290-80-RH	8'0" RH Z Astragal (ASA/FB) Amweld, LHR Inactive	
SD101622	Gulfport	DR290-80-RH	8'0" LH Z Astragal (ASA/FB) Amweld, RHR Inactive	
SD103467	Gulfport	DR280-70	7'0" Blank Z Astragal	
SD103062	Gulfport	DR360B-70	7'0" Flat Astragal - 1/2" Thick 2" Wide	
SD101777	Gulfport	DR280-80	8'0" Blank Z Astragal	
MSD10563	Tell	–	9'0" Flat Astragal	

SPARTAN 18PS SERIES

HOLLOW METAL DOORS & FRAMES

MADE IN U. S. A.

▲ To Index

18 Gauge Galvanneal

Size	Hinge Location	Prep	Part Number	Corner Guards	Steel	Label	Weight Lbs.	LIST	PA	HTX	DAL	BHM	ELK	LAC	MIN
2068	Spartan (Same As Steelcraft)	161	MSD21200	NO	Galvanneal	UL 3	72			·					
		00	MSD21891							·					
2668	Spartan	161	MSD21212	NO	Galvanneal	UL 3	85		·	·	·				
		00	MSD21713						·	·	·				
2868	Spartan	161	MSD21224	NO	Galvanneal	UL 3	89		·	·					
		00	MSD21802						·	·					
3068	Spartan	161	MSD61080	YES	Galvanneal	UL 3	99		·	·	·	·	·	·	·
		00	MSD61104						·	·	·	·	·	·	
		Panic	MSD61908						·	·	·				
		161/DL 6"	MSD21081	NO					·				·	·	
	Ceco	161	MSD21082	NO	Galvanneal	UL 3	99			·	·				
		00	MSD21095							·	·				
	Deansteel / Mesker New Republic	161	MSD21914							·					
		00	MSD21915							·					
	Curries	161	MSD21916							·					
		00	MSD21088							·					
	OLD Republic	161	MSD61080	YES					·	·	·	·	·	·	
		00	MSD61104						·	·	·	·	·	·	
3668	Spartan	161	MSD21336	NO	Galvanneal	UL 3	112			·	·				
		00	MSD21340							·	·				
3868	Spartan	161	MSD20125	NO	Galvanneal	UL 3	115			·					
		00	MSD21689							·					
4068	Spartan	161	MSD21356	NO	Galvanneal	UL 3	120		·	·	·				
		00	MSD21364						·	·	·				
2070	Spartan	161	MSD21206	NO	Galvanneal	UL 3	76			·					
		00	MSD21892							·					
2470	Spartan	161	MSD21519	NO	Galvanneal	UL 3	76								
		00	MSD25047												
2670	Spartan	161	MSD21218	NO	Galvanneal	UL 3	87			·	·				
		00	MSD21199							·	·				
2870	Spartan	161	MSD21230	NO	Galvanneal	UL 3	92			·					
		00	MSD21451							·					

NOTE: Door Packaging Nomenclature

MSD 2 XXXX = No Corner Guards

MSD 6 XXXX = Corner Guards

161 = Single Bore with 2 3/4" Backset

00 Prep = Mortise Pocket with Blank Face

MISCELLANEOUS ITEMS

Item	Description	
MSD10058	Paint, Primer Gray, One Gallon	

SPARTAN 18PS SERIES

HOLLOW METAL DOORS & FRAMES

MADE IN U. S. A.

To Index

18 Gauge Galvanneal

Size	Hinge Location	Prep	Part Number	Corner Guards	Steel	Label	Weight Lbs.	LIST	PA	HTX	DAL	BHM	ELK	LAC	MIN
3070	Spartan (Same As Steelcraft)	161	MSD61084	YES	Galvanneal	UL 3	106		·	·	·	·	·	·	·
		00	MSD61309						·	·	·	·	·	·	·
		Panic	MSD61910						·	·	·				
	None	BLANK	MSD20106	NO							·				
	Ceco	161	MSD61096	YES						·	·		·	·	·
		00	MSD61310							·	·				
	Deansteel / Mesker New Republic	161	MSD61881							·	·		·	·	·
		00	MSD61890							·					
	Curries	161	MSD61090							·	·		·	·	·
		00	MSD61388							·					
	OLD Republic	161	MSD61523							·	·		·	·	
		00	MSD61501							·	·				
3080	Spartan	161	MSD21141	NO	Galvanneal	UL 3	118		·	·	·		·	·	
		00	MSD21142							·	·				
		Panic	MSD64457	YES						·					
3670	Spartan	161	MSD21346	NO	Galvanneal	UL 3	119			·	·			·	
		00	MSD21350							·					
3870	Spartan	161	MSD20121	NO	Galvanneal	UL 3	121			·	·				
		00	MSD21755							·	·				
4070	Spartan	161	MSD21366	NO	Galvanneal	UL 3	134			·	·		·	·	
		00	MSD21374							·	·				
		Panic	MSD21912							·	·				
4080	Spartan	161	MSD25029	NO	Galvanneal	UL3			Special Order 3 Week Lead Time						
		00	MSD21839												
3090	Spartan	161	MSD20788	NO	Galvanneal	—			Special Order 3 Week Lead Time						
		00	MSD20789												

NOTE: Door Packaging Nomenclature

MSD 2 XXXX = No Corner Guards

MSD 6 XXXX = Corner Guards

161 = Single Bore with 2 3/4" Backset

00 Prep = Mortise Pocket with Blank Face

ADDITIONAL CHARGES FOR CUSTOM ORDERS	
Item	**Multiplier**
20 Gauge Doors, Up to 1½ Hr Fire Rating	
16 Gauge Doors up to 3070	
Steel Stiffened	

* Made To Order (MTO) Fee For Factory Orders Under 20 Units is Net

Custom Jobs Manufactured In Houston, TX

Standard Lead Time: Approximately 3 Weeks

To Index

SPARTAN 18CH SERIES

HOLLOW METAL DOORS & FRAMES

Continuous Hinge Doors - 18 Gauge Galvanneal

Width is undersized by 7/16" for a full mortise continuous hinge application. No lock prep.
Use ABH A110HD or equivalent. See Page 15.

Size	Hinge Location	Prep	Part Number	Steel	Label	Weight Lbs.	LIST	PA	HTX	DAL	BHM	ELK	LAC	MIN
3070	CONTINUOUS	Blank	MSD61201	Galvanneal	N/A	110				•				
3080	CONTINUOUS	Blank	MSD61202	Galvanneal	N/A	120		Special Order 3 Week Lead Time						
4070	CONTINUOUS	Blank	MSD61203	Galvanneal	N/A	136								

161 = Single Bore with 2 3/4" Backset
00 Prep = Mortise Pocket with Blank Face

SPARTAN 18FB SERIES

HOLLOW METAL DOORS & FRAMES

Spartan Flush Bolt Hollow Metal Doors

These doors have integrated flush bolt preps and are sized 1/8" wider than our regular Spartan door. Doors with flush bolts are commonly used on double-door storefront applications to ensure proper security when the entryway is locked. Flush bolts work by manually flipping the top and bottom levers on the inactive door leaf, locking it securely into the door frame. This action holds the inactive door firmly in place, allowing the primary door's lock to engage with a solid and reliable latch point.


Without flush bolts, double doors cannot be fully secured when locked, leaving the entry vulnerable to forced entry or easy break-ins. Flush bolts play a critical role in preventing the inactive door from being pushed open once the locks are engaged.

Door Size	Flushbolt Prep	Lock Prep	Handing	Part Number	Steel	Door Width	Notes: Long Description
3080	Top And Bottom Flushbolt Preps	Blank		MSD	18 Gauge Galvanneal	35 7/8	DHM 3080 SQ 18A F 00 A PR UL FBA hollow metal door 3080 primed polystyrene door 18g oversized flushbolt cutouts for astragal, fb guides (sd100276) top & bottom
3080	Top And Bottom Flushbolt Preps	Blank	LH	MSD	18 Gauge Galvanneal	35 7/8	DHM 3080 SQ 18A F ASA A PR UL FBI LHRIA Hollow Metal Door 3080 Primed Polystyrene Door 18g Integrated Flushbolt Preps With Tabs (SD102384/Dr120) And Guides (SD100276) Top & Bottom, Oversized Door Width = 35-7/8"
3080	Top And Bottom Flushbolt Preps	Blank	RH	MSD	18 Gauge Galvanneal	35 7/8	DHM 3080 SQ 18A F ASA A PR UL FBI RHRIA Hollow Metal Door 3080 Primed Polystyrene Door 18g Integrated Flushbolt Preps With Tabs (SD102384/Dr120) And Guides (SD100276) Top & Bottom, Oversized Door Width = 35-7/8"
3070	Top And Bottom Flushbolt Preps	Blank		MSD22068	18 Gauge Galvanneal	35 7/8	DHM 3070 SQ 18A F 00 A PR UL FBA Hollow Metal Door 3070 Primed Polystyrene Door 18g Oversized Flushbolt Cutouts For Astragal, Fb Guides (SD100276) Top & Bottom
3070	Top And Bottom Flushbolt Preps	Blank	LH	MSD22069	18 Gauge Galvanneal	35 7/8	DHM 3070 SQ 18A F ASA A PR UL FBI LHRIA Hollow Metal Door 3070 Primed Polystyrene Door 18g Integrated Flushbolt Preps With Tabs (SD102384/Dr120) And Guides (SD100276) Top & Bottom, Oversized Door Width = 35-7/8"
3070	Top And Bottom Flushbolt Preps	Blank	RH	MSD22070	18 Gauge Galvanneal	35 7/8	DHM 3070 SQ 18A F ASA A PR UL FBI RHRIA Hollow Metal Door 3070 Primed Polystyrene Door 18g Integrated Flushbolt Preps With Tabs (SD102384/Dr120) And Guides (SD100276) Top & Bottom, Oversized Door Width = 35-7/8"
3068	Top And Bottom Flushbolt Preps	Blank		MSD22071	18 Gauge Galvanneal	35 7/8	DHM 3068 SQ 18A F 00 A PR UL FBA Hollow Metal Door 3068 Primed Polystyrene Door 18g Oversized Flushbolt Cutouts For Astragal, Fb Guides (SD100276) Top & Bottom
3068	Top And Bottom Flushbolt Preps	Blank	LH	MSD22072	18 Gauge Galvanneal	35 7/8	DHM 3068 SQ 18A F ASA A PR UL FBI LHRIA Hollow Metal Door 3068 Primed Polystyrene Door 18g Integrated Flushbolt Preps With Tabs (SD102384/Dr120) And Guides (SD100276) Top & Bottom, Oversized Door Width = 35-7/8"
3068	Top And Bottom Flushbolt Preps	Blank	RH	MSD22073	18 Gauge Galvanneal	35 7/8	DHM 3068 SQ 18A F ASA A PR UL FBI RHRIA Hollow Metal Door 3068 Primed Polystyrene Door 18g Integrated Flushbolt Preps With Tabs (SD102384/Dr120) And Guides (SD100276) Top & Bottom, Oversized Door Width = 35-7/8"

To Index

Hinge Location Chart

STANDARD HOLLOW METAL DOOR HINGE LOCATION CHART (1 ¾" DOORS)



NOTE:

- Hinges are measured from the top of the door to the top of the hinge cutouts.
- 8'0" doors have a 4th, bottom hinge = D
- Lock cutout is measured from top of door to centerline of lock cutout. Standard deadbolt center-to-center (CTC) is 7-11/16" from lock*.
- Standard deadbolt CTC is 48" above finished floor (AFF). This would be CTC of 7-11/16" above 161 lock prep for Spartan and Viking, or measurement "F" in diagram."
- Tell standard 161 lock prep center-line on door & ASA strike center-line on frame is 40 5/16" above finish floor (AFF).
- Tell standard 00 lock prep (standard 8" x 1 1/8" mortise pocket edge prep) center-line is 3/8" lower, or 39 15/16" AFF.


	6' 8"				7' 0"				8' 0"				
	Hinge			Lock	Hinge			Lock	Hinge				Lock
MANUFACTURER	A	B	C	E	A	B	C	E	A	B	C	D	E
SPARTAN / VIKING	7 3/8"	37 5/16"	67 1/4"	39 9/16"	7 3/8"	39 5/16"	71 1/4"	43 9/16"	7 3/8"	32 11/16"	58"	83 5/16"	55 9/16"
AMWELD*	7 3/8"	37 5/16"	67 1/4"	39 9/16"	7 3/8"	39 5/16"	71 1/4"	43 9/16"	7 3/8"	32 11/16"	58"	83 5/16"	55 9/16"
STEELCRAFT†	7 3/8"	37 5/16"	67 1/4"	39 9/16"	7 3/8"	39 5/16"	71 1/4"	43 9/16"	7 3/8"	32 21/32"	57 15/16"	83 1/4"	55 9/16"
DKS†	7 3/8"	37 5/16"	67 1/4"	39 9/16"	7 3/8"	39 5/16"	71 1/4"	43 9/16"	7 3/8"	32 21/32"	57 15/16"	83 1/4"	55 9/16"
FLEMING	7 3/8"	37 5/16"	67 1/4"	39 9/16"	7 3/8"	39 5/16"	71 1/4"	43 9/16"	7 3/8"	32 21/32"	57 15/16"	83 1/4"	55 9/16"
OLD REPUBLIC	7 3/8"	37 5/16"	67 1/4"	39 9/16"	9 3/8"	39 5/16"	69 1/4"	43 9/16"	4 7/8"	30 3/8"	55 7/8"	81 3/8"	55 9/16"
KEWANEE	7 1/4"	37 5/16"	67 3/8"	39 9/16"	7 1/4"	39 5/16"	71 3/8"	43 9/16"	7 1/4"	32 5/8"	58"	83 3/8"	55 9/16"
DOMINION	6 3/4"	37 3/4"	68 3/4"	40"	6 3/4"	39 3/4"	72 3/4"	42"	6 5/8"	32 5/8"	58 5/8"	84 5/8"	54 1/16"
CECO	6 5/8"	37 5/8"	68 5/8"	38 1/16"	6 5/8"	39 5/8"	72 5/8"	42 1/16"	6 5/8"	32 5/8"	58 5/8"	84 5/8"	54 1/16"
FENESTRA	5 1/8"	35 1/8"	65 1/8"	39 9/16"	5 1/8"	37 1/8"	69 1/8"	43 9/16"	5 1/8"	30 1/2"	55 13/16"	81 1/8"	55 9/16"
PIONEER	4 7/8"	35 1/8"	65 3/8"	41 7/8"	4 7/8"	37 1/8"	69 3/8"	45 7/8"	4 7/8"	30 3/8"	55 7/8"	81 3/8"	57 7/8"
MESKER	4 7/8"	35 1/8"	65 3/8"	39 9/16"	4 7/8"	37 1/8"	69 3/8"	43 9/16"	4 7/8"	30 3/8"	55 7/8"	81 3/8"	55 9/16"
NEW REPUBLIC	4 7/8"	35 1/8"	65 3/8"	39 9/16"	4 7/8"	37 1/8"	69 3/8"	43 9/16"	4 7/8"	30 3/8"	55 7/8"	81 3/8"	55 9/16"
CURRIES	4 7/8"	35 1/8"	65 3/8"	39 7/8"	4 7/8"	37 1/8"	69 3/8"	43 7/8"	4 7/8"	30 3/8"	55 7/8"	81 3/8"	55 7/8"

Standard undercut on all doors is 3/4" with the exception of Curries and Pioneer, which is 5/8"


* Tell Spartan standard hinge location is equal to Amweld.

Drywall Frames
Complete Frame

16 Gauge • A40 Galvanneal • 4.5" x 4.5" Hinges • ASA • UL



Attached Compression Anchor



Stud Straps at Base of Frame Shipped Loose

MADE IN U. S. A.

To Index

Size	4-3/4"	5-5/8"	5-7/8"	6-1/4"	6-5/8"	7-1/8"	7-3/4"	8-1/4"	8-3/4"
2068									
2668									
2868									
3068									
3668									
3868									
4068									
4068 DBL									
5068 DBL									
6068 DBL									
2070									
2670									
2870									
3070									
3670									
3870									
4070									
4070 DBL									
5070 DBL									
6070 DBL									
2080									
2680									
2880									
3080									
3680									
3880									
4080									
4080 DBL									
5080 DBL									
6080 DBL									

Tell Manufacturing Can UL Label frames from 3 3/4" thru 12 3/4" Frame Depth

To Index

Drywall Frames

Component

16 Gauge • A40 Galvanneal • 4.5" x 4.5" Hinges • ASA • UL

Size	Type	4-3/4"	5-5/8"	5-7/8"	6-1/4"	6-5/8"	7-1/8"	7-3/4"	8-1/4"	8-3/4"
2'0"	HD									
2'6"	HD									
2'8"	HD									
3'0"	HD									
3'6"	HD									
3'8"	HD									
4'0"	HD									
4'0"	HD DBL									
5'0"	HD DBL									
6'0"	HD DBL									
6'8"	HJ									
6'8"	SJ									
7'0"	HJ									
7'0"	SJ									
8'0"	HJ									
8'0"	SJ									

Stock Sizes Per Facility

Non-stock sizes manufactured with 3 week lead time and shipped F.O.B. Houston, TX. Our stock program can generally accommodate most head widths and frame heights of 6'8" & 7'0". Please call customer service for information regarding lead time and availability of frame material.

Location	Stock Depths
PA, ELK	5 5/8", 5 7/8"
HTX, BHM, LAC, MIN	5 7/8"
DAL	5 7/8", 7 3/4"
FLA	5 5/8", 5 7/8", 8 1/4"


ADDITIONAL CHARGES FOR CUSTOM ORDERS	
Item	**Multiplier**
14 Gauge Frames	
9' Frames	


* Factory Orders Under 20 Units add Net
MSD10060 - Drywall Stud Straps, Snap In - .50¢ net each

KD Masonry Frames

Complete Frame

16 Gauge • A40 Galvanneal • 4.5" x 4.5" Hinges • ASA • UL





MADE IN U. S. A.

To Index

Size	4-3/4"	5-3/4"	6-1/4"	6-3/4"	7-1/4"	7-3/4"	8-1/4"	8-3/4"	9-1/4"
2068									
2668									
2868									
3068									
3068 4FH									
3668									
3868									
4068									
4068 4FH									
4068 DBL									
5068 DBL									
6068 DBL									
6068 4FH DBL									
2070									
2670									
2870									
3070									
3070 4FH									
3670									
3870									
4070									
4070 4FH									
4070 DBL									
5070 DBL									
6070 DBL									
6070 4FH DBL									
2080									
2680									
2880									
3080									
3080 4FH									
3680									
3880									
4080									
4080 4FH									
4080 DBL									
5080 DBL									
6080 DBL									
6080 4FH DBL									

Order by product ID number.

To Index

Frames

Component

16 Gauge • A40 Galvanneal • 4.5" x 4.5" Hinges • ASA • UL

Size	Type	4-3/4"	5-3/4"	6-1/4"	6-3/4"	7-1/4"	7-3/4"	8-1/4"	8-3/4"	9-1/4"
2'0"	HD									
2'6"	HD									
2'8"	HD									
3'0"	HD									
3'0"	4" FH									
3'6"	HD									
3'8"	HD									
4'0"	HD									
4'0"	4" FH									
4'0"	HD DBL									
5'0"	HD DBL									
6'0"	HD DBL									
6'0"	4" FH DBL									
6'8"	HJ									
6'8"	SJ									
7'0"	HJ									
7'0"	SJ									
8'0"	HJ									
8'0"	SJ									

Tell Manufacturing Can UL Label frames from 3 3/4" thru 12 3/4" Frame Depth

Stock Sizes Per Facility

Non-Stock sizes manufactured in approximately 3 week lead time and shipped F.O.B. Houston, TX.


Location	Stock Depths KD	Stock Depths Welded	
PA, HTX, LAC, ELK, FLA	5 3/4", 7 3/4", 8 1/4"	5 Day Lead Time	**Our Stock Program Can Generally Accommodate 3', 4' & 6' Head Widths and Frame Heights of 6'8" & 7'0".**
DAL	4 3/4", 5 3/4", 7 3/4", 8 1/4"	5 Day Lead Time	**Please call customer service for information regarding lead time and availability of frame material.**
MIN	5 3/4"	5 Day Lead Time	


ADDITIONAL CHARGES (MAY REQUIRE LEAD TIME)	
Item	
Face Weld Frame & Add Spreader Bar	Net Add /Single /Pair
14 Gauge Frames	List x 1.3
9' Frames	
Cased Opening Frames	


To Index


Stick Material


MADE IN U. S. A.











2 Piece Mullion

Amweld Hinge and Strike Locations


Item Number	Jamb Depth	Description	Gauge	LIST	PA	HTX	DAL	BHM	ELK	LAC	MIN
MSD12027	5 3/4"	9'10" Blank 2" Face	16 GALV				•				•
MSD12028	5 3/4"	9'10" Blank 4" Face	16 GALV				•				•
MSD12029	5 3/4"	9'10" LH Strike	16 GALV								
MSD12030	5 3/4"	9'10" RH Strike	16 GALV								
MSD12031	5 3/4"	9'10" LH HINGE FOR 6'8" DOOR	16 GALV								
MSD12032	5 3/4"	9'10" RH HINGE FOR 6'8" DOOR	16 GALV								
MSD12033	5 3/4"	9'10" LH HINGE FOR 7'0" DOOR	16 GALV								
MSD12034	5 3/4"	9'10" RH HINGE FOR 7'0" DOOR	16 GALV								
MSD12035	5 3/4"	9'10" LH HINGE FOR 8'0" DOOR	16 GALV								
MSD12036	5 3/4"	9'10" RH HINGE FOR 8'0" DOOR	16 GALV								
MSD15393	5 3/4"	8' Blank Mullion	16 GALV				•				•
MSD15392	5 3/4"	4' Blank Mullion	16 GALV				•				•
MSD12038	5 3/4"	8' - Mullion LH ASA	16 GALV								
MSD12039	5 3/4"	8' - Mullion RH ASA	16 GALV								
MSD12040	5 3/4"	8' Mullion LH HINGE FOR 6'8" DOOR	16 GALV								
MSD12041	5 3/4"	8' Mullion RH HINGE FOR 6'8" DOOR	16 GALV								
MSD12042	5 3/4"	8' Mullion LH HINGE FOR 7'0" DOOR	16 GALV								
MSD12043	5 3/4"	8' Mullion RH HINGE FOR 7'0" DOOR	16 GALV								
MSD12044	5 3/4"	8' Mullion LH HINGE FOR 8'0" DOOR	16 GALV								
MSD12045	5 3/4"	8' Mullion RH HINGE FOR 8'0" DOOR	16 GALV								
MSD12046	5 3/4"	9'10" Cased Opening	16 GALV				•				

Metal Door Silencer



ITEM #	DESCRIPTION	FINISH	
DT100030	Door Silencer For Metal Frame Door (Pack of 100)	Gray Rubber	

To Index




Single Opening Sidelite Frame

Up to 4' wide, up to 8' Door Height with up to 5' Sidelite

Single Opening Transom Frame

Up to 4' wide, up to 8' Door Height with up to 2' Transom



Glazing Bead & Tape

ITEM #	DESCRIPTION	
SD100069	10' Glazing Bead 5/8" x 5/8" with holes at 7" centers (screws not included)	
SD100160	Glazing Tape GT16 1/16" x 3/8"	per Ft.

Frame Kit Numbers

To Index

16GA, Galvannealed, (3) 4 ½" x 4 ½" Hinges, Amweld Hinge Locations, ASA Strike Prep, Prime Paint

Masonry KD

ITEM # (ORDER BY #)	FRAME SIZE	HANDING	
MSD21395	3068 x 5-3/4"	LH	
MSD21396		RH	
MSD21397	3070 x 5-3/4"	LH	
MSD21398		RH	
MSD21906	4070 x 5-3/4"	LH	
MSD21907		RH	
MSD21494	3070 x 7-3/4"	LH	
MSD21495		RH	
MSD21722	3070 x 8-1/4"	LH	
MSD21723		RH	
MSD21976	3080 x 5-3/4"	LH	
MSD21977		RH	
MSD21978	3080 x 7-3/4"	LH	
MSD21979		RH	
MSD21056	4080 x 5-3/4"	LH	
MSD21055		RH	
MSD21408	6070 x 5-3/4"	DOUBLE	
MSD21496	6070 x 7-3/4"	DOUBLE	
MSD21399	6080 x 5-3/4"	DOUBLE	

Drywall KD

ITEM # (ORDER BY #)	FRAME SIZE	HANDING	
MSD21433	3068 x 5-7/8"	LH	
MSD21434		RH	
MSD21431	3070 x 5-7/8"	LH	
MSD21432		RH	
MSD21435	6068 x 5-7/8"	DOUBLE	
MSD21445	6070 x 5-7/8"	DOUBLE	
MSD21810	3068 x 8 1/4"	LH	
MSD21809	3068 x 8 1/4"	RH	
MSD21770	3070 x 8 1/4"	LH	
MSD21769	3070 x 8 1/4"	RH	

DEANSTEEL/MESKER HINGE LOCATIONS KD

ITEM # (ORDER BY #)	FRAME SIZE	HANDING	
MSD51157	3070 x 5-3/4"	LH	
MSD51158		RH	

STOCK WELDED FRAMES

ITEM # (ORDER BY #)	FRAME SIZE	HANDING	
MSD21397	3070 x 5-3/4"	LH	+ Net
MSD21398		RH	

Component Frame Part Numbers

To Index

Masonry Frames

4 3/4" OVERALL (3 3/4Ä" THROAT)	
MSD14179	3'0" HEAD
MSD14375	3'6" HEAD
MSD14041	4'0" HEAD
MSD14536	6'0"HEAD
MSD10772	6'8" HJ LH
MSD10774	6'8" SJ LH
MSD10773	6'8" HJ RH
MSD10775	6'8" SJ RH
MSD14042	7'0" HJ LH
MSD14044	7'0" SJ LH
MSD14043	7'0" HJ RH
MSD14045	7'0" SJ RH
5 3/4" OVERALL (4 7/8" THROAT)	
MSD14006	2'0" HEAD
MSD14010	2'6" HEAD
MSD14083	2'8" HEAD
MSD11108 SD103514	3'0" HEAD
MSD14007	3'0" 4" FACE
MSD14005	3'6" HEAD
MSD14467	3'8" HEAD
MSD14011	4'0" HEAD
MSD14008	4'0" 4" FACE
MSD11125	5'0" HEAD
MSD14012	6'0" HEAD
MSD14009	6'0" 4" FACE
MSD14013	6'8" HJ LH
MSD14017	6'8" SJ LH
MSD14014	6'8" HJ RH
MSD14018	6'8" SJ RH
MSD14233	6'8" SJ LH BLANK
MSD14234	6'8" SJ RH BLANK
MSD14015 SD103515	7'0" HJ LH
MSD14019 SD103516	7'0" SJ LH
MSD14016 SD103517	7'0" HJ RH
MSD14020 SD103518	7'0" SJ RH
MSD14277	7'0" SJ LH BLANK
MSD14278	7'0" SJ RH BLANK
MSD14031 SD103519	8'0" HJ LH
MSD14033 SD103520	8'0" SJ LH
MSD14032 SD103521	8'0" HJ RH
MSD14034 SD103522	8'0" SJ RH
MSD14489	8'0" SJ LH BLANK
MSD14490	8'0" SJ RH BLANK
7 3/4" OVERALL (6 3/4" THROAT)	
MSD14174	3'0" HEAD
MSD14376	4'0" HEAD
MSD14155	6'0" HEAD
MSD14248	6'8" HJ LH
MSD14250	6'8" SJ LH
MSD14249	6'8" HJ RH
MSD14251	6'8" SJ RH
MSD14175	7'0" HJ LH
MSD14176	7'0" SJ LH
MSD14177	7'0" HJ RH
MSD14178	7'0" SJ RH
FRAMES 8-1/4" (7-1/4" THROAT)	
MSD14213 SD103523	3'0" HEAD
MSD14461	4'0" HEAD
MSD14214	6'0" HEAD
MSD14457	6'8" HJ LH
MSD14459	6'8" SJ LH
MSD14458	6'8" HJ RH
MSD14460	6'8" SJ RH
MSD14215 SD103524	7'0" HJ LH
MSD14217 SD103525	7'0" SJ LH
MSD14216 SD103526	7'0" HJ RH
MSD14218 SD103527	7'0" SJ RH
MSD14581	8'0" HJ LH
MSD14583	8'0" SJ LH
MSD14582	8'0" HJ RH
MSD14584	8'0" SJ RH

Drywall Frames


5-7/8" (4-7/8" THROAT)	
MSD11023	2'0" HEAD
MSD11021	2'6" HEAD
MSD11054	2'8" HEAD
MSD11575	3'0" HEAD
MSD11201	3'6" HEAD
MSD14119	3'8" HEAD
MSD10859	4'0" HEAD
MSD11204	5'0" HEAD
MSD11055	6'0" HEAD
MSD11573	6'8" HJ LH
MSD11574	6'8" SJ LH
MSD11577	6'8" HJ RH
MSD11576	6'8" SJ RH
MSD11569	7'0" HJ LH
MSD11571	7'0" SJ LH
MSD11570	7'0" HJ RH
MSD11572	7'0" SJ RH
MSD11293	8'0" HJ LH
MSD11291	8'0" SJ LH
MSD11294	8'0" HJ RH
MSD11292	8'0" SJ RH
FRAMES 7-3/4" (6-3/4" THROAT)	
MSD15162	2'8" HEAD
MSD11077	3'0" HEAD
MSD11435	4'0" HEAD
MSD11262	6'0" HEAD
MSD11271	6'8" HJ LH
MSD11272	6'8" SJ LH
MSD11269	6'8" HJ RH
MSD11270	6'8" SJ RH
MSD11105	7'0" HJ LH
MSD11106	7'0" SJ LH
MSD11103	7'0" HJ RH
MSD11104	7'0" SJ RH

FRAMES 8-1/4" (7-1/4" THROAT)	
MSD11400	2'8" HEAD
MSD11000	3'0" HEAD
MSD10112	4'0" HEAD
MSD11350	6'0" HEAD
MSD11377	6'8" HJ LH
MSD11378	6'8" SJ LH
MSD11375	6'8" HJ RH
MSD11376	6'8" SJ RH
MSD11353	7'0" HJ LH
MSD11354	7'0" SJ LH
MSD11351	7'0" HJ RH
MSD11352	7'0" SJ RH
MSD15341	8'0" HJ LH
MSD15342	8'0" SJ LH
MSD15339	8'0" HJ RH
MSD15340	8'0" SJ RH

Door and Frame Parts

To Index

ITEM #	DESCRIPTION	
	Door	
MSD10027	Non-Handed Hinge Reinforcement	
MSD11840	Comperssion Fit Flush Top Cap	
MSD10270	Inverted Door Channel - 35 1/2"	
SD100351	Door Hinge Filler Plate	
DT100852	Deadbolt Filler Plate 2-3/4" x 1-1/8"	
MSD10037	Reversible Hinge Handing Plates	.15¢
DT100535	86 to 161 conversion plate (for edge of door)	
DT100002	Door Edge Filler for 161 – 2-1/4" x 1-1/8"	
DT101367	86 to ASA edge (for door)	
DT100064	86 filler plate (for 00 edge) (n/c w/ Spartan): ea	
DT100004	161 filler plate (face) 2 1/8" Round	
MSD10091	Cylindrical Lock Reinforcement for Door	
MSD10068	86 Mortise Lock Reinforcement box for Door	
	Frame	
MSD10061	Frame Hinge Dust Cover Box	.50¢
MSD10110	2 3/4" Deadbolt or T-Strike Frame Reinforcement with Dust Cover	
MSD10090	4 7/8" ASA Strike Frame Reinforcement with Dust Cover	
SD100352	Frame Hinge Filler Plate	
DT100019	ASA filler plate (for frame)	
MSD10057	Drywall Compression Anchor	
MSD100056	Drywall Corner Clip Left	.80¢
MSD100055	Drywall Corner Clip Right	.80¢
MSD10050	5 3/4" Masonry Base Anchor	
MSD10027	Non-Handed Hinge Reinforcement	
MSD10035	Deadbolt Stike Reinforcement	.75¢
MSD10013	ASA Strike Reinforcement	.75¢




Order by product ID number.

To Index


Masonry Frame Anchors*

ITEM # (ORDER BY #)	Description	
Multipurpose Anchors (Dayton Industries)		
SD100082	4 3/4"	
SD100081	5 3/4"	
SD100110	6 1/4"	
SD101554	7 3/4"	
SD101806	8 1/4"	
SD103212	8 3/4"	
SD100757	Adjustable 5 3/4" - 8 3/4" (need 2)	
SD100827	Strap In 5 3/4" Metal Stud Anchor	
Existing Opening Anchors		
SD100392	5 3/4" Frame	
SD100129	4 3/4" - 6 3/4" Frame	
Frame Fasteners		
SD100003	3/8" x 4" Sleeve Anchors	
SD100238	3/8" x 5" Sleeve Anchors	
SD100239	3/8" x 4" Wood Screws	
SD100240	3/8" x 5" Wood Screws	
SD100080	Wire Anchors	
SD100097	Masonry T Anchors	
Spreader Bars		
SD100090	36" Spreader Bar	
SD100004	48" Spreader Bar	
SD100005	72" Spreader Bar	

*Need six (6) anchors for 6'8" & 7' frames and eight (8) anchors for 8' frame.




MULTI-PURPOSE ANCHOR
SD100081



ADJUSTABLE ANCHOR
SD100757



METAL STUD ANCHOR
SD100827



PIPE ANCHOR
SD100392




BUTTERFLY ANCHOR
SD100129




SLEEVE ANCHORS



WOOD SCREWS



MASONRY WIRE ANCHOR
SD100080



MASONRY T-ANCHOR
SD100097

To Index

THIS PAGE IS INTENTIONALLY BLANK

VIKING

HOLLOW METAL DOORS & FRAMES

Manufactured in China & Canada

▲ To Index

Tell's Viking Doors and Frames are a line of imported hollow metal doors and frames to fit your needs. Viking Doors are available in 18 gauge steel. Our Viking doors are available in polystyrene and honeycomb core. Viking Doors and Frames come standard with a prime coat, ready to paint and accommodate fire ratings (up to 3 hours) and are either UL or WHI certified.

Features

- Polystyrene or Honeycomb Core
- Non-handed
- A40 Galvanized Steel
- Fire rated up to 3 hours
- 7 gauge hinge reinforcements
- Reinforced 161 lock prep
- Closer reinforcement (standard)
- Meets ANSI standards
- Universal 4 ½" hinge prep
- Inverted top and bottom channel

To Index



MAKING YOUR EVERYDAY SIMPLE AND AFFORDABLE.

The Viking Doors and Frames **Fast Pack Series** is your ultimate choice for high-quality hollow metal doors and frames. These gray prime-painted products come pallet-packed for fast ordering and delivery. Designed to meet your everyday needs with durability and affordability.



Item No.	Description	Color	Prep/Style	Pallet Qty	Min. Order Units	List
SD103542	3070 DOOR PANEL- 18 GA	GRAY	161 PREP	20	20	
SD103543	3070 DOOR PANEL- 18 GA	GRAY	PANIC REINFORCED BLANK DOOR	20	20	
SD103544	3070 DOOR PANEL- 18 GA	GRAY	MORTISE EDGE	20	20	
SD103545	5 ¾" FRAME- 16 GA	GRAY	MASONRY ASA BASE ANCHOR	40 RH	40	
SD103546	5 ¾" FRAME- 16 GA	GRAY	MASONRY ASA BASE ANCHOR	40 LH	40	
SD103566	5 ¾" FRAME- 16 GA	GRAY	MASONRY ASA BASE ANCHOR	20 LH, 20 RH	40	

To Index

THE VIKING DOORS AND FRAMES FAST PACK SERIES

Introducing the Viking Door and Frame Series — your ultimate choice for high-quality hollow metal doors and frames. Easily sourced and designed for durability and affordability.



DOOR SPECIFICATIONS

Door	• 18 Gauge steel • A40 Galvanized
Fire Rated	• Up to 3 hours are certified by Warnock Hersey: ASTM E152, UL-10B, UBC 7-2 and UL-10C
Hinge Location	• Steelcraft
Channels	• 16 Gauge inverted top and bottom channel
Insulation	• Polystyrene core
Top Cap	• Installed steel cap standard
Door Prep	• 161 • Panic Reinforced Blank Door • Mortise
Closer Prep	• 14 Gauge reinforced steel, standard
Finish	• Primer gray
Pallet Quantity	• 20 Doors to a pallet

FRAME SPECIFICATIONS


Frame	• 16 Gauge steel • A40 Galvanized • 5 ¾" Masonry • Knockdown construction • Precision mitered corners
Fire Rated	• Up to 3 hours are certified by Warnock Hersey: ASTM E152, UL-10B, UBC 7-2 and UL-10C
Hinge Location	• Steelcraft
Hinge Prep	• Right-Handed (RH) or Left-Handed (LH), Reinforced
Strike	• ASA Strike prep
Closer Prep	• 14 Gauge reinforced steel, standard
Finish	• Primer gray
Pallet Quantity	• 40 Frames to a pallet RH or LH


Note: Frames are Interchangeable with Tell's Spartan Frames


POLYSTYRENE INSULATED CORE


4 ½" HINGE PREP


LOCK REINFORCEMENT


FLUSH CAP


SEAM WELDED EDGE


BOTTOM CHANNEL


VIKING Paneled Hollow Metal Doors

To Index

2 PANEL HOLLOW METAL | FIRE RATED

TELL VIKING DOORS are manufactured from high quality 18 gauge galvannealed steel and are thoroughly cleaned inside and out to insure excellent corrosion resistance and paint adhesion. All doors come with a polystyrene core as standard, making every door smoother, flatter, and stronger. Viking Doors come standard with a prime coat, ready to be painted.





FLUSH CAP



NON-HANDED HINGE REINFORCEMENT



LOCK REINFORCEMENT



SEAM WELDED EDGE



POLYSTYRENE CORE



BOTTOM CHANNEL

STANDARD FEATURES

Door	18 gauge galvannealed
Paint	Prime painted
Hinge Prep	Non-handed 4-1/2" – 7 gauge hinge reinforcements, accommodates heavyweight hinges
Fire Rated	Up to 3 hours are certified by Warnock Hersey
Channels	16 gauge inverted top and bottom channel
Insulation	Polystyrene core
Top Cap	Installed steel cap standard
Closer Prep	14 gauge reinforced steel, standard

OPTIONAL FEATURES

Lock Preps	161 & 00 (Mortise Edge Blank Face)

CERTIFICATIONS

- 3 Hour Interteck / Warnock Hersey, UBC 7-2 (1997)
- ASTM E2074 (200), UL 10(b) (2008), NFPA 252 (2008)
- UL 10(b) Revision 1 (2009), UL 10(c) (2009)
- CAN / ULC S104 (2010)
- Built to SDI Specifications ANSI A250.8
- STC 26 Rating
- ADA Compliant 10" Bottom Rail Standard


To Index

2 PANEL DOORS


16GA HOLLOW METAL /POLYSTYRENE CORE / FIRE RATED / STC 26

MADE IN CHINA

Size	Hinge Location	Prep	Part Number	Steel	Label	Weight Lbs.	LIST	PA	HTX	DAL	BHM	ELK	LAC	MIN
3068	Steelcraft	161	SD103251	Galvanneal	WHI3	106				·				
		00	SD103252			106				·				
3070	Steelcraft	161	SD103253	Galvanneal	WHI3	118				·				
		00	SD103254			118				·				




3068 (ADA)



3070 (ADA)

TIOGA
DOORS & FRAMES
ENGINEERED FOR METAL BUILDING APPLICATIONS
Pre-Assembled and Knockdown (as shown below)



KNOCK-DOWN (KD) INSTALLATION
METAL BUILDING INSTALLATION

HURRICANE APPROVED

▲ To Index

To Index


TIOGA DOOR

POLYSTYRENE DOOR - PRE-FINISHED

Size	Gauge	Hinge Location	Prep	Part Number	Color	Steel	Label	LIST	PA	HTX	DAL	BHM	ELK	LAC	MIN
3070	20	Dominion	161	MSD20147	White Textured	Galvanneal	No			·		·			
3070	20	Dominion	161	MSD20148	Bronze Textured	Galvanneal	No			·		·			
3070	18	Dominion	161	MSD20197	White Smooth	Galvanneal	No			·		·			
3070	18	Dominion	161	MSD20198	Bronze Smooth	Galvanneal	No			·		·			

TIOGA FRAME

16GA KD FRAME WITH KERF CHANNEL - PRE-FINISHED



Size	Hinge Location	Depth	Part Number	Color	Steel	Label	LIST	PA	HTX	DAL	BHM	ELK	LAC	MIN
3070	Dominion	8 1/4"	MSD72100	White	Galvanneal	No			·		·			
3070	Dominion	8 1/4"	MSD72101	Bronze	Galvanneal	No			·		·			
3070 Frames Include: Hinge Jamb, Lock Jamb, Header, 3 NRP Hinges, ADA Threshold, Weatherstrip and Fasteners														
6070	Dominion	8 1/4"	MSD72162	White	Galvanneal	No			·		·			
6070	Dominion	8 1/4"	MSD72161	Bronze	Galvanneal	No			·		·			
6070 Frames Include: Hinge Jamb, Lock Jamb, Header, 6 NRP Hinges, ADA Threshold, Weatherstrip, Surface Bolts, Flat Astragal & Fasteners														
Jamb Extensions - net (set of 4)									·		·			

Florida Windstorm Label (see website for up to date hardware requirements)

TELSTAR
DOORS & FRAMES
ENGINEERED FOR MODULAR BUILDING APPLICATIONS




- Pre-Hung door and frame assembly
- 161 Lock Prep
- Deadbolt Ready (IDB - Invisible Deadbolt Prep.)
- ADA Compliant Threshold Sweep & Seal
- Threshold Flashing Detaches For Optional Installation
- Door Reinforced for Closer
- Insulated Core
- Left or Right Hand Reverse Door
- 20 Gauge Galvannealed Door
- 16 Gauge Galvannealed Frame
- Non-Removable Hinge Pin

Off White (Telstar) OW

Bright White (Telstar) BW

Light Gray (Telstar) GR

Wall Section



	TELSTAR	TELSTAR 70 PRO	TELSTAR PRO	TELSTAR DOUBLE
ROUGH OPENING INFORMATION:	36" x 80"	38" x 85"	38" x 81"	74" x 81"
DOOR SIZE:	34 ¾" x 78 ⅝" x 1 ¾"	35 ¾" x 83 ⅛" (3070)	35 ¾" x 79 ⅛" (3068)	35 ¾" x 79 ⅛" (6068)
EXTERIOR SURFACE FLANGE:	38 ½" x 82 ¾" (81 1/4" without threshold flashing)	40 ⅜" x 87 ⅝" (86 1/4" without threshold flashing)	40 ⅜" x 83 ⅝" (82 1/4" without threshold flashing)	76 ¼" x 82 ⅛"
INTERIOR WALL OVERALL FRAME SIZE:	35 ⅝" x 79 ¾"	37 ⅜" x 84 ½"	37 ⅜" x 80 ½"	73 ¼" x 80 ⅝"

HURRICANE APPROVED

To Index

TELSTAR

20G POLYSTYRENE PRE-FINISHED & PREHUNG DOOR AND FRAME

PART #	SWING	DESCRIPTION	LOCK PREP	DB PREP	LITE KIT	FINISH	LIST
MMD10005	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	IDB	None	Off-White	
MMD10006	LHR						
MMD10015	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	DB	None	Off-White	
MMD10016	LHR						
MMD10018	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	IDB	10"x10"	Off-White	
MMD10019	LHR						
MMD10001	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	DB	10"x10"	Off-White	
MMD10002	LHR						
MMD10057	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	4" LC/DB	10"x10"	Off-White	
MMD10058	LHR						
MMD10261	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	IDB	6"x30"	Off-White	
MMD10262	LHR						
MMD10064	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	IDB	None	Bright White	
MMD10061	LHR						
MMD10083	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	DB	None	Bright White	
MMD10084	LHR						
MMD10060	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	IDB	10"x10"	Bright White	
MMD10059	LHR						
MMD10062	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	DB	10"x10"	Bright White	
MMD10063	LHR						
MMD10013	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	IDB	None	Gray	
MMD10014	LHR						
MMD10259	RHR	Pre-Hung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	DB	None	Gray	
MMD10260	LHR						
MMD10072	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	IDB	10"x10"	Gray	
MMD10073	LHR						
MMD10003	RHR	Prehung 3068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	DB	10"x10"	Gray	
MMD10004	LHR						

TELSTAR DOUBLE DOOR

PART #	SWING	DESCRIPTION	LOCK PREP	DB PREP	LITE KIT	FINISH	LIST
MMD10199	OUT	Prehung 6068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	–	None	Off-White	CALL
MMD10198	OUT	Prehung 6068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	–	None	Bright White	CALL
MMD10293	OUT	Prehung 6068 x 1-3/4" 20GA Galvannealed (A40), Polystyrene Core, Closer Reinforced, Hollow Metal Door with an 16GA A40 Frame Assembly.	161	–	None	Bright White	CALL

Add 7% for Telstar Pro and 10% for Telstar 70 Pro.
Orders less than 8 per SKU will be charged a pallet fee of per pallet.

IDB - Invisible Deadbolt Prep (blank face with interior reinforcement, edge is prepped with filler plate)
Telstar Weight - 105 lbs. • Telstar Pro Weight - 110 lbs. • Telstar CD Weight - 126 lbs.

To Index



TELSTAR CD
Engineered Container Door

ADVANTAGE – TWO. EASY. STEPS.

Manufactured specifically for the shipping container, the **Telstar** CD is an all-in-one, pre-assembled door/frame combination that comes ready to weld into your storage container building in just two easy steps.

Shipped pre-assembled with a weld cap, the door is placed flush against the walls of the container's opening, ready to weld in place. The **Telstar** CD makes installation easier and faster than welding heavy tube steel into a frame and attaching a door. Our 16 gauge frames are prepped for hinges, ASA and deadbolt strike. The 20 gauge door comes with a polystyrene core, ADA threshold, and are reinforced for door closers.




Telstar CD comes with unfinished galvannealed metal surface for weld-in frame installation.

Lock hardware and lite kits are additional.



EZ-Weld Frame
Unfinished 16 ga. galvannealed steel surface for weld-in frame installation.



ADA Compliant Threshold

TELSTAR CD - Engineered Container Door

To Index


SPECIFICATIONS	
Rough Opening	41 ⅛" x 82 ⁹⁄₁₆"
Door Size	35 ¾" x 79 ⅛" x 1 ¾" (3068)
Frame Dimension	41 ⅛" x 82 ⁹⁄₁₆" x 3 ⅞" Single rabbet
Weight	126 lbs
FEATURES	
Assembly	Pre-hung door and frame
Door	20 gauge galvannealed
Lock Prep	161 lock prep Deadbolt prep or invisible deadbolt prep (IDB)
Insulation	Polystyrene core
Channels	16 gauge inverted top and bottom channel
Frame	16 gauge galvannealed steel Welded top corners ASA strike prep Deadbolt prep with filler plate for (IDB)
Frame EZ-Weld	Metal surfaces prepped for easy weld-in frame installation
Finish *	Unfinished galvannealed metal surface
Hinge Prep	41/2" heavy-duty hinges Non-removable hinge pin
Closer Prep	14 gauge reinforced steel, standard
Strike	ASA strike prep Deadbolt prep
Threshold	ADA compliant - 4 ¾"d x ½"h
Door Trim	Weatherstrip and door sweep shipped loose
Shipping	In crates of 9
OPTIONS	
Lite Kit	Optional 10 x 10 available




2-STEP **EZ WELD**



1 Place in Opening



2 Weld in Place



Single Rabbet Frame with Weld Cap

	QUANTITY	
/door	2 or more full crates	
/door	1 crate (9 doors)	
/door	1–8 doors	(x door qty) + *
/door	10" X 10" LITE KIT	—


Note: A crate contains nine (9) doors

*Custom crate charge of net is applied for less than a full crate.

AIR LOUVERS

Stocked Products

Air Louvers Bronze VSLH Slimline Vision Frames



ITEM #	FACTORY Part No.	CUTOUT SIZE	EXPOSED SQ. IN.	GLASS ORDER SIZE	NET EACH	PA	HTX	DAL	BHM	ELK	LAC
SD102245	VSLH520	5X20	54	4X19							
SD100981	VSLH535	5X35	99	4X34							
SD102246	VSLH612	6X12	40	5X11							
SD102247	VSLH620	6X20	72	5X19							
SD102248	VSLH624	6x24	88	5X23							
SD102963	VSLH627	6X27	100	5X26		.	.	.		.	
SD102249	VSLH630	6X30	112	5X29							
SD100872	VSLH722	7X22	100	6X21		.	.	.		.	
SD102257	VSLH818	8X18	96	7X17							
SD102258	VSLH830	8X30	203	7X29		.	.	.			
SD101983	VSLH832	8X32	180	7X31		.	.	.		.	.
SD102250	VSLH834	8X34	192	7X33							
SD102259	VSLH836	8X36	204	7X35							
SD102251	VSLH1010	10X10	64	9X9							
SD102252	VSLH1212	12X12	100	11X11		.	.	.		.	.
SD102253	VSLH1818	18X18	256	17X17							
SD102240	VSLH1832	18x32	480	17x31							
SD102254	VSLH2030	20x30	504	19x29		.	.	.			.
SD102241	VSLH2060	20x60	1044	19x59							
SD101924	VSLH2424	24x24	484	23x23		.	.	.			
SD101970	VSLH430	24x30	616	23x29		.	.	.		.	
SD102242	VSLH2432	24x32	660	23x31							
SD102243	VSLH434	24x34	704	23x33							
SD102256	VSLH2436	24x36	748	23x35		.	.	.			.
SD100455	VSLH2460	24x60	1276	23x59							
SD102255	VSLH2464	24x64	1364	23x63		.	.	.			.
SD101886	VSLH2466	24x66	1408	23x65							
SD102244	VSLH3036	30x36	1080	29x35							

Special Order

Baked on powder coat dark bronze primer can be field painted.

To Index

To Index

1/4" TEMPERED GLASS
Not for Fire Rated Applications

Complete Kit With ¼" Tempered Glass

Air Louvers Tempered Pak For Safety-Rated 1-3/4" Doors
VSLH (Slimline) Vision Frame, Tempered Glass (Cat Iii Impact Rated) & Glazing Tape Combo

ITEM #	Cutout Size	Exposed Sq. In.	Glass Size		PA	HTX	DAL	BHM	ELK	LAC
SD102437	6X27	100	5X26		·	·	·			·
SD102438	7X22	100	6X21		·	·	·			
SD102439	12X12	100	11X11		·	·	·			·
SD102440	24x24	484	23x23		·	·	·			·
SD102441	24x30	616	23x29		·	·	·			·

1/4" TEMPERED GLASS

¼" Glass Only (No Vision Frame)

ITEM #	Glass Size	Fits Lite Kit Size	Tempered Glass Net	PA	HTX	DAL	BHM	ELK	LAC
SD102302	4X19	5X20		SPECIAL ORDER					
SD101828	4X34	5X35							
SD102303	5X19	6X20							
SD102304	5X23	6X24							
SD102305	5X26	6X27							
SD102306	5X29	6X30							
SD101783	6X21	7X22		·	·	·	·	·	·
SD101962	7X31	8X32		·	·	·	·	·	·
SD101140	7X35	8X36		SPECIAL ORDER					
SD102307	9X9	10X10							
SD100088	11X11	12X12		·	·	·	·	·	·
SD102299	17X17	18X18		SPECIAL ORDER					
SD101892	23X23	24X24			·	·			
SD100291	19X29	20X30		SPECIAL ORDER					
SD100098	23X29	24X30		·	·	·		·	

1/4" TEMPERED GLASS

Complete Kit with ¼" Laminated Wire Glass

Air Louvers Wireshield Pak For 1-3/4" Doors W/ VSLH (Slimline) Vision Frame
Wired Glass With Applied Safety Film, Cat Ii Impact-Rated, Fire-Rated - WHI Listed, For UL10B Door Assemblies

ITEM #	Cutout Size	Exposed Sq. In.	Glass Size	Net Each	PA	HTX	DAL	BHM	ELK	LAC
SD103008	6X27	100	5X26			·	·			
SD103009	7X22	100	6X21			·	·			
SD103010	12X12	100	11X11			·	·			

1/4" LAMINATED WIRE GLASS

Other Accessories

Glazing Tape: SD100160 1/16" x 3/8" x 150' - **Net Each**

MODEL 800 A1

Fixed Blade Door Louver


18 Gauge • 50% Free Area



ITEM #	Pack	Order/Cutout Size	Net Each	PA	HTX	DAL	BHM	ELK	LAC
SD102289	2	12X12		SPECIAL ORDER					
SD102290	2	18X12							
SD102352	1	18X18							
SD102291	2	18X24							
SD102346	1	18X64							
SD102292	1	20X60							
SD102293	2	24X12			•	•			•
SD102294	2	24X18				•			
SD102295	1	24X24			•	•			
SD102296	1	24X36		SPECIAL ORDER					
SD102297	1	24X60							
SD102298	1	24X64			•	•			


MODEL 1900-A Fusible Link Door Louver U.L. Labeled

16 Gauge • 45% Free Area




ITEM #	Pack	Order/Cutout Size	Net Each	
SD102301	1	24X24		SPECIAL ORDER

MODEL 700A Attaches Each Side, Fits 1 ⅜" Door



ITEM #	Pack	Order/Cutout Size	Net Each	
SD102235	1	12X12		SPECIAL ORDER
SD102236	1	24X12		
SD102237	1	24X24		

MODEL VLF-R Round Vision-Lite Frames



ITEM #	Pack	Order/Cutout Size	Net Each	
SD102286	1	12X12		SPECIAL ORDER
SD102287	1	18X18		
SD102288	1	24X24		



Listed by U.L. for:

VLF-R-12 11" dia. visible lite 95 sq. in. (approved for 20/60/90 min.)
VLF-R-18 17" dia. visible lite 227 sq. in. (approved for 20 min.)
VLF-R-24 23" dia. visible lite 415 sq. in. (approved for 20 min.)
Each lite permanently etched with the U.L. label.

To Index

THIS PAGE IS INTENTIONALLY BLANK



WEATHERSTRIPS & THRESHOLDS

Stocked Products

To Index

Reese WEATHERSTRIPS & THRESHOLDS

National Guard and Pemko numbers represent approximate equivalents.

Saddle Thresholds

S424



S425



ITEM #	PART	Net Each	National Guard	Pemko	HTX	DAL	PA
DT100943	S424A 36 Inches		424	170A	Special Order		
DT101547	S424A 48 Inches		424	170A			
DT100585	S424A 72 Inches		424	170A			
DT101548	S424D 36 Inches		424	170D			
DT101549	S424D 72 Inches		424	170D			
DT101342	S425A 36 Inches		425	171A	·	·	·
DT101550	S425A 48 Inches		425	171A	·	·	·
DT101460	S425A 72 Inches		425	171A	·	·	·
DT101551	S425D 36 Inches		425DKB	171D	Special Order		
DT101125	S425D 48 Inches		425DKB	171D			
DT101180	S425D 72 Inches		425DKB	171D			

A= ALUMINUM MILL FINISH D= DARK BRONZE ANODIZED ALUMINUM

S404



S405



ITEM #	PART	Net Each	National Guard	Pemko	HTX	DAL	PA
DT101220	S404A 36 Inches		413	270A	Special Order		
DT101546	S404A 48 Inches		413	270A			
DT101517	S404A 72 Inches		413	270A			
DT100665	S405A 36 Inches		513	271A	·	·	·
DT101368	S405A 48 Inches		513	271A	·	·	·
DT100822	S405A 72 Inches		513	271A	·	·	·
DT101744	S405D 36 Inches		513DKB	271D	Special Order		
DT101336	S405D 48 Inches		513DKB	271D			
DT101335	S405D 72 Inches		513DKB	271D			

A= ALUMINUM MILL FINISH D= DARK BRONZE ANODIZED ALUMINUM

Panic Type Thresholds

S488AV




ITEM #	PART	Net Each	National Guard	Pemko	HTX	DAL	PA
DT101270	S488AV 36 Inches		803V	181AT	·	·	·
DT101552	S488AV 48 Inches		803V	181AT	·	·	·
DT101553	S488AV 72 Inches		803V	181AT	·	·	·

A= ALUMINUM MILL FINISH D= DARK BRONZE ANODIZED ALUMINUM V= VINYL


To Index

Drip Cap




ITEM #	PART	Net Each	National Guard	Pemko	HTX	DAL	PA
DT100011	R201A 40"		16A	346C	·	·	·
DT100360	R201A 52"		16A	346C	·	·	·
DT100102	R201A 76"		16A	346C	·	·	·

Door Bottoms & Door Sweeps & Astragals



353A 806A




964C 964D 967C 967D 377C 377D


ITEM #	PART	Net Each	National Guard	Pemko	HTX	DAL	PA
DT100592	353A 36 Inches		101AV	3452AV	·	·	·
DT101530	353A 48 Inches		101AV	3452AV	·	·	·
DT100101	806A 36 Inches		97V	307A	·	·	·
DT100180	806A 48 Inches		97V	307A	·	·	·
DT100809	806D 36 Inches		97V	307A	Special Order		
DT101537	806D 48 Inches		97V	307A			
DT101231	964C 36 Inches		C607A	18062CP	·	·	·
DT101540	964C 48 Inches		C607A	18062CP	·	·	·
DT101541	964C 84 Inches		C607A	18062CP	·	·	·
DT101542	964D 36 Inches		C607DKB	18062DP	Special Order		
DT101543	964D 48 Inches		C607DKB	18062DP			
DT101544	964D 84 Inches		C607DKB	18062DP			
DT100662	967C 36 Inches		C608A	18100CP	·	·	·
DT100896	967C 48 Inches		C608A	18100CP	·	·	·
DT100586	967D 36 Inches		C607DKB	18100DP	Special Order		
DT101545	967D 48 Inches		C607DKB	18100DP			
DT100273	377C 36 Inches		199NA	321CN	·	·	·
DT101531	377C 48 Inches		199NA	321CN	·	·	·
DT101570	377D 36 Inches		199NB	321DN	Special Order		
DT101532	377D 48 Inches		199NB	321DN			

A= ALUMINUM MILL FINISH C = CLEAR ANODIZED ALUMINUM D= DARK BRONZE ANODIZED ALUMINUM

Weatherstripping



797B



ITEM #	PART	Net Each	National Guard	Pemko	HTX	DAL	PA
DT100414	807A 17 Feet (3070)		160V	303AV	·	·	·
DT100266	807A 18 Feet (4070)		160V	303AV	·	·	·
DT100748	807A 20 Feet (4080)		160V	303AV	·	·	·
DT100412	807A 20 Feet (6070)		160V	303AV	·	·	·
DT101538	807A 22 Feet (6080)		160V	303AV	·	·	·
DT100321	807D 17 Feet (3070)		160VDKB	303AV	Special Order		
DT101554	807D 18 Feet (4070)		160VDKB	303AV			
DT101539	807D 20 Feet (6070)		160VDKB	303AV			
DT100531	797B 17 Feet		5050	S88	·	·	·
DT101533	797B 19 Feet		5050	S88	·	·	·
DT101534	797B 21 Feet		5050	S88	·	·	·
DT101535	797B 25 Feet		5050	S88	·	·	·
DT101536	797B 500 Feet		5050	S88	Special Order		

A= ALUMINUM MILL FINISH B= BLACK D= DARK BRONZE ANODIZED ALUMINUM

To Index

SOLID CORE FLUSH

Five Lakes Manufacturing



Birch Veneer

PAINT GRADE Natural Birch SLAB

1 ¾" Commodity Paint Grade, Solid Particle Core. Pine Edge. 5 Year Limited Year warranty.

PART	Nominal Size	Hinge Location	Pre-fit Size	Prep	Label	Hand	Pallet Qty	Weight		PA	HTX	DAL	BHM	ELK	LAC	MIN
WD100094	3'0" x 6'8"	SLAB	35 3/4" x 79 1/4"	None	None	NH	25	102		·	·	·		·		
WD100348	3'0" x 7'0"	SLAB	35 3/4" x 83 1/4"	None	None	NH	25	107		·	·	·		·		

PAINT GRADE Natural Birch Machined (Steelcraft Hinge Locations)

1 ¾" Commodity Paint Grade, Solid Particle Core, 20 Min Label, Pine Edge, 5 Year Limited Year warranty.

PART	Nominal Size	Hinge Location	Pre-fit Size	Prep	Label	Hand	Pallet Qty	Weight		PA	HTX	DAL	BHM	ELK	LAC	MIN
WD100694	3'0" x 6'8"	Steelcraft	35 3/4" x 79 1/4"	161	20 Min.	NH	25	102			·	·		·		
WD100084	3'0" x 7'0"	Steelcraft	35 3/4" x 83 1/4"	161	20 Min.	RH	25	107			·	·				
WD100085	3'0" x 7'0"	Steelcraft	35 3/4" x 83 1/4"	161	20 Min.	LH	25	107			·	·				

Interior Metal Frames

TIMELY® PREFINISHED STEEL DOOR FRAMES

Interior Metal Frames Available Special Order



Western White



Browntone

To Index

THIS PAGE IS INTENTIONALLY BLANK



CORPORATE OFFICE

18 Richard Drive
Lititz, PA 17543
Toll Free: 800-433-4047

tell.sales@assaabloy.com

CUSTOMER SERVICE CONTACTS

Zach Lesher
Customer Service Lead
o: 717-690-8767
e: zachary.lesher@assaabloy.com

Rachel Brinson
Project Manager
o: 972-503-4703
e: rachel.brinson@assaabloy.com

Wayne Miller
Project Manager
o: 717-690-8780
e: wayne.miller@assaabloy.com

Scott Bruno
Account Representative/CSR
o: 717-803-3463
e: Scott.Bruno@assaabloy.com

OTHER LOCATIONS

Birmingham, AL
Ontario, CA
Elkhart, IN
Burnsville, MN
Dallas, TX
Houston, TX

tellmfg.com